

Remarque : contrôle des dimensions impératif.

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	DIAM, Ø	EP, ↔
ALFA SPIDER	9.97-					
Alfa Spider 1.8		AV	110 2207 00	110 2207 50	V 284	22
Alfa Spider 2.0 16V Twin Spark jusqu'au chassis 6009486	5.95-5.98	AV AR				
Alfa Spider 2.0 16V Twin Spark à partir chassis 6009487	5.98	AV AV AR	110 2207 00	110 2207 50	V 284	22
Alfa Spider 2.0 V6	5.95-5.98	AV AR	110 2207 00	110 2207 50	V 284	22
Alfa Spider 3.0 V6	5.98--	AV AV AR	110 2207 00	110 2207 50	V 284	22
ALFA GTV 6	11.80-1987					
Alfa GTV 6 2,5		AV AV AR AR	110 2202 00 110 2203 00	110 2202 50 110 2203 50	V 267,5 P 250	22 9.9
ALFA GTV COUPE						
Alfa GTV Coupé 1.8, 2.0, 2.0 Twin Spark, 2.0 Turbo	6.95-5.98	AV AV AV AR	110 2207 00	110 2207 50	V 284	22
Alfa GTV Coupé 1.8, 2.0, 2.0 Twin Spark, 2.0 Turbo	5.98--	AV AV AR	110 2207 00	110 2207 50	V 284	22
Alfa GTV Coupé 3.0 V6 24V	6.95--	AV AV AR	110 2207 00	110 2207 50	V 284	22
ALFA 75	09.85-02.92					
Alfa 75 1.8 Turbo Ts modèles	-08.89	AV	110 2202 00	110 2202 50	V 267,5	22
Alfa 75 2.0 Twin Spark	09.89-	AV				
Alfa 75 2.0, 2.0TD Ts modèles 2,5 Ts modèles	-08.89	AR	110 2203 00	110 2203 50	P 250	9.9
Alfa 75 3.0 Ts modèles	09.89-	AR				
ALFA 145/146	9.94-12.96					
Alfa 145 / 146 1.4, 1.6, 1.9 TD 75cv		AV AV AR	230 2357 00	230 2357 50	P 257	12
Alfa 145 / 146 1.4 I, 1.6 I, 1.7 16v, 1.9 JTD	1.97-9.00	AV AV AR	230 2359 00	230 2359 50	V 257	20
Alfa 145 / 146 1.8I, 2.0I 16v Twin	9.94-9.00	AV AR	230 2363 00	230 2363 50	V 284	22
ALFA 147	10.00--					
Alfa 147 1.6 Eco		AV AR	110 2211 00 110 2208 00	110 2208 50	P 281 P 251	15 10

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Alfa 147 1.6 Ts, 2.0 Ts, 1.9 Jtd	10.00--	AV AR	110 2207 00 110 2208 00	110 2207 50 110 2208 50	V 284 P 251	22 10
Alfa 147 2.0Gta cup,	3.02--	AV				
Alfa 147 3.2Gta	3.02--	AV AR				
ALFA 155						
Alfa 155 1.6I, 1.7I, 1.8I, 2.Ots/ts 16v	--4.96	AV AR	230 2359 00 230 2356 00	230 2359 50 230 2356 50	V 257 P 240	20 11
Alfa 155 1.6I, 1.7I, 1.8I, 2.OI ts/ts 16v	5.96--	AV AV	230 2359 00 230 2356 00	230 2359 50 230 2356 50	V 257 P 240	20 11
Alfa 155 1.9 Turbo Diesel	1.92--12.97	AV AR	230 2357 00 230 2356 00	230 2357 50 230 2356 50	P 257 P 240	12 11
Alfa 155 2.O 16V Q4, 2.5 V6, 2.5 Td	--4.96	AV AR	110 2209 00 230 2356 00	110 2209 50 230 2356 50	V 284,5 P 240	22 11
Alfa 155 2.O 16V Q4, 2.5 V6, 2.5 Td	5.96--	AV AR	110 2209 00 230 2356 00	110 2209 50 230 2356 50	V 284,5 P 240	22 11
ALFA 156						
Alfa 156 1.6 16v Ts, 1.8 16v Ts, 1.9Jtd	10.97--	AV AR	110 2211 00 110 2208 00	110 2208 50	P 281 P 251	15 10
Alfa 156 1.6 16v Ts, 1.8 16v Ts, 1.9Jtd	10.97-- 10.97-12.01 01.02--	AV AR	110 2207 00 110 2208 00	110 2207 50 110 2208 50	V 284 P 251 P 276	22 10 10
Alfa 156 2.0 16v Ts, 2.4Jtd, 2.5V6	10.97-- 10.97-12.01 01.02--	AV AR	110 2207 00 110 2208 00	110 2207 50 110 2208 50	V 284 P 251 P 276	22 10 10
Alfa 156 3.2 Gta	10.97					
ALFA BRERA						
Alfa Brera 2.2Jts, 3.2 Jts Q4	01.06--	AV AR				
AUDI A2						
Audi A2 Tdi	09.96-- 3.01--	AV	110 1245 00		V 239	15
Audi A2 1.4, 1.6Fsi, 1.4Tdi	09.96--	AV AR	100 1246 00	100 1246 50	V 256	22
AUDI A3 8L1						
Audi A3 1,6	09.96-4.03	AV AR	100 1233 00 100 1236 00	100 1233 50 100 1236 50	V 256 P 232	22 9
Audi A3 1,8 20V 1,9 TDI 90cv,	09.96-4.03	AV AR	100 1234 00 100 1236 00	100 1234 50 100 1236 50	V 280 P 232	22 9
Audi A3 1,8 20V Turbo 1,9 TDI 110cv, 1,9 TDI 130cv	09.96-4.03	AV AV	100 1235 00	100 1235 50	V 288	25

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
		AR	100 1236 00	100 1236 50	P 232	9
Audi A3 Quattro 1.8T, 1.9Tdi Quattro	12.94--4.03	AV AV AR	100 1235 00 100 1248 00	100 1235 50 100 1248 50	V 288 P 239	25 9
Audi A3 S3 1.8 Quattro Turbo	1.94--4.03	AV AV AR	100 1240 00 100 1241 00	100 1240 50 100 1241 50	V 312 V 256	25 22
AUDI A3 8P1 et SPORTBACK	5.03--					
Audi A3 8P1 1.6, 1.6Fsi, 2.0Fsi, 1.9Tdi, 2.0Tdi Mot,1ZF		AV	600 3233 00	600 3233 50	V 280	22
1.6, 1.6Fsi, 2.0Fsi, 1.9Tdi, 2.0Tdi Mot code 1ZE, 1ZP		AV	600 3221 00	600 3221 50	V 288	25
2.0 Fsi, 2.0Tdi,		AV	100 3300 00	100 3300 50	V 312	25
1.6, 1.6Fsi, 2.0Fsi, 1.9Tdi, 2.0Tdi		AR	600 3234 00	600 3234 50	P 255	10
Audi A3 8P1 et SPORTBACK	5.03--	AV	100 3301 00	100 3301 50	V 345	30
3.2 Quattro		AR	600 3234 00	600 3234 50	P 255	10
		AR	100 3315 00		P 286	12
AUDI A4 / A4 Avant B5	12.94--7.96					
Audi A4 B5 1.6		AV	100 1228 00	100 1228 50	P 280	13
1.9 TD/TDI 90cv		AR	100 1229 00	100 1229 50	P 245	10
Quattro		AR	100 1232 00	100 1232 50	P 245	10
Audi A4 B5 1.9 TDI 110cv	12.94--8.96	AV AV AR	600 3207 00 100 1229 00	600 3207 50 100 1229 50	V 280 P 245	22 10
Quattro		AR	100 1232 00	100 1232 50	P 245	10
Audi A4 B5 1.8 20 V .	12.94--7.96	AV AV AR	100 1215 00 100 1229 00	100 1215 50 100 1229 50	P 288 P 245	15 10
Quattro		AR	100 1232 00	100 1232 50	P 245	10
Audi A4 B5 1.6	8.96--9.00	AV	600 3207 00	600 3207 50	V 280	22
1.9 Td, 1.9 Tdi 90cv		AV				
1.8		AR	100 1229 00	100 1229 50	P 245	10
Quattro		AR	100 1232 00	100 1232 50	P 245	10
Audi A4 B5 1.9 TDI 110cv, 115cv, 130cv	8.96--9.00	AV	100 1216 00	100 1216 50	V 288	25
		AR	100 1229 00	100 1229 50	P 245	10
Quattro		AR	100 1232 00	100 1232 50	P 245	10
Audi A4 B5 1.8 20 V Turbo	12.94--9.00	AV	100 1216 00	100 1216 50	V 288	25
2,4 V6	7.97--9.00	AV				
2.6 V6	12.94--6.97	AR	100 1229 00	100 1259 50	P 245	10
2.8 V6	12.94--9.00					
2.5 TDI V6	10.97--9.00					
Quattro		AR	100 1232 00	100 1232 50	P 245	10
AUDI A4 B6 Avant / Quattro / Cabrio B6	10.00--					
Audi A4 B6 1.6,		AV	600 3207 00	600 3207 50	V 280	22
2.0,		AV				
		AR	100 1243 00	100 1243 50	P 245	10
Audi A4 B6 1.8T, 1.8T Quattro, 2.4, 2.4 Quattro	10.00--	AV	100 1216 00	100 1216 50	V 288	25

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
1.9 Tdi 100cv, 1.9 Tdi 130cv, 1.9 Tdi 130cv Quattro 2.5 Tdi, 2.5 Tdi Quattro		AV AR	100 1243 00	100 1243 50	P 245	10
Audi A4 B6 3.0, 3.0 Quattro	10.00--	AV AV AR	100 1242 00 100 1244 00	100 1242 50 100 1244 50	V 312 P 255	25 12
AUDI A4 S4 Quattro / S4 Quattro Avant Audi S4 2.7 T	1.97--	AV AR	100 1249 00	100 1249 50	V 321	30
AUDI A4 RS4 Avant B6	-1.00	AV AR				
AUDI A4 8EC		AV AR AR	100 3312 00 100 3310 00 100 3314 00		V 320 P 288 P 245	30 12 10
AUDI A6 / Avant /Quattro C4 Audi A6 C4 1.8 E 125cv 2.0 E 100cv. 2.0 E 137cv 2.3 E 133cv 1.9 TDI 2.5 TDI 115cv Quattro	6.94-4.97	AV AV AR AR	100 1215 00 100 1217 00 100 1230 00	100 1215 50 100 1217 50 100 1230 50	P 288 P 245 V 269	15 10 20
Audi A6 C4 2.6 V6 2.8 V6 2.5 TDI V6 140cv Quattro	6.94-4.97	AV AV AR AR	100 1216 00 100 1217 00 100 1230 00	100 1216 50 100 1217 50 100 1230 50	V 288 P 245 V 269	25 10 20
Audi A6 C4 2.3 20V Turbo 4.2 (Type C4, C5)	8.94--	AV AR	100 1231 00 100 1211 00	100 1231 50 100 1211 50	V 314 V 269	30 20
AUDI A6 / Avant / Quattro C5 Audi A6 C5 1.8 1.8 T 2.4 2.8 1.9 TDI 2.5 TDI Quattro	5.97-- 5.97-- 5.97-- 5.97--5.01 5.97--5.01 5.97-- 5.97--5.01 5.97--	AV AV AR AR AR	100 1216 00 100 1217 00 100 1237 00	100 1216 50 100 1217 50 100 1237 50	V 288 P 245 P 245	25 10 10
Audi A6 C5 2.7 T *jusque châssis 4BX060000 ** à partiir châssis 4BX060001	5.97-	AV AR	100 1249 00 100 1217 00	100 1249 50 100 1217 50	V 321	30
Audi A6 C5 2.4, 3.0 2.5 Tdi Quattro (pas de disques AR disponibles)	6.01--	AV AR	100 1242 00 100 1217 00	100 1242 50 100 1217 50	V 312 P 245	25 10
Audi A6 Allroad 2.7 T, 4.2V8, 2.5Tdi	10.00--	AV AR	100 1249 00	100 1249 50	V 321	30
Audi RS6	1.02--	AV				

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
AUDI A6 4F						
Audi 2.4, 3.0, 3.2FSI, 2.0TDI	5.04--	AV	100 3317 00		V 314	25
3.6, 4.2, 2.7TDI, 3.0TDI		AV	100 3318 00		V 321	30
		AR	100 3320 00		P 302	12
AUDI A8						
Audi A8 2.8 / Quattro	8.94-9.98	AV	100 1231 00	100 1231 50	V 314	30
2.5 TDI V6		AV				
6.97-9.98		AR	100 1209 00	100 1209 50	P 245	10
		AR				
Audi A8 3.7 / Quattro	9.95-9.98	AV	100 1231 00	100 1231 50	V 314	30
4.2 Quattro	9.93-9.98	AV				
		AR	100 1211 00	100 1211 50	V 269	20
		AR				
Audi A8 2.8 / Quattro	10.98-	AV	100 1238 00	100 1238 50	V 323	30
2.5 TD , 3.3 TDII / Quattro		AR	100 1239 00	100 1239 50	V 269	22
3.7, 4.2 / Quattro						
AUDI CABRIO						
Audi Cabrio2.0, 2.3	9.88-	AV	100 1214 00	100 1214 50	V 256	22
1.9 TDI	9.91-	AR	100 1205 00	100 1205 50	P 245	10
Audi Cabrio 2.8	9.91- 1.97-	AV	100 1219 00	100 1219 50	V 276	25
		AV				
		AR	100 1205 00	100 1205 50	P 245	10
Audi Cabrio S2 2.3 20v Turbo	9.91--	AV	100 1224 00	100 1224 50	V 276	25
		AR	100 1225 00	100 1225 50	P 245	10
AUDI TT Coupé /Roadster						
Audi TT 1.8T 150cv / 180cv	10.98-	AV	100 1240 00	100 1240 50	V 312	25
		AV				
		AR	100 1236 00	100 1236 50	P 232	9
Audi TT QUATTRO 1.8T 180cv	10.98--	AV	100 1240 00	100 1240 50	V 312	25
		AV				
		AR	100 1248 00		P 239	9
TAudi T QUATTRO 1.8Turbo 20v 225cv	10.98-	AV	100 1240 00	100 1240 50	V 312	25
		AV				
		AR	100 1241 00	100 1241 50	V 256	22
AUDI 80						
Audi 80 1.9 TD, TDI, 2.0 90cv	9.91-9.92	AV	100 1218 00	100 1218 50	P 256	13
avec ABS		AR	100 1205 00	100 1205 50	P 245	10
Audi 80 2.0E / Quattro, 2.3E / Quattro	9.91-9.92	AV	100 1214 00	100 1214 50	V 256	22
		AR	100 1205 00	100 1205 50	P 245	10
Quattro		AR	100 1223 00	100 1223 50	P 245	10
Audi 80 2.8E / Quattro	9.91-9.92	AV	100 1219 00	100 1219 50	V 276	25
		AR	100 1205 00	100 1205 50	P 245	10
Quattro		AR	100 1223 00	100 1223 50	P 245	10
Audi 80 TD, TDI, T Avant	9.92-10.94	AV	100 1221 00	100 1221 50	P 280	13

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
1.6, 2.0 , Avant		AR	100 1223 00	100 1223 50	P 245	10
Audi 80 2.0E / Avant / Quattro	9.92-10.94	AV	100 1222 00	100 1222 50	V 280	22
2.3E / Avant / Quattro		AR	100 1223 00	100 1223 50	P 245	10
2.6E / Avant / Quattro						
2.8E / Avant / Quattro						
Audi 80 S2 2.3 20v Turbo (Type 89Q)	91--	AV	100 1224 00	100 1224 50	V 276	25
		AR	100 1225 00	100 1225 50	P 245	10
Audi 80 RS2 montage porsche	94	AVG	460 1513 00	460 1513 50	V 304	32
		AVD	460 1514 00	460 1514 50	V 304	32
		AR	460 1515 00	460 1515 50	V 299	24
BMW						
MINI / MINI ONE / MINI COOPER	01.01--	AV	150 3400 00	150 3400 50	V 276	22
		AR	150 3401 00	150 3401 50	P 259	10
BMW						
BMW 2002 Ti, Tii / Touring	9.69--7.75	AV	150 1063 00		P 256	12.7
BMW Série 1 E87						
BMW E87 116I, 118I, 118D		AV	150 3423 00		V 284	22
		AR	150 3425 00		P 280	10
BMW E87 120I,		AV	150 3424 00		V 292	22
		AR	150 3426 00		V 300	20
BMW E87 120D		AV	150 3424 00		V 292	22
		AR	150 3426 00		V 300	20
BMW E87 130I		AV	150 3428 00		V 330	24
BMW Série 3 E30	8.82-9.90					
BMW E30 316 / 316I	--7.86	AV	150 1257 00	150 1257 50	P 260	12.7
318I, 324D		AR	150 1129 00 *	150 1129 50	P 258	10
BMW E30 318 IS	8.82-9.90	AV	150 1258 00	150 1258 50	V 260	22
320i	8.82-9.90	AR	150 1129 00	150 1129 50	P 258	10
BMW E30 323I	8.82-7.85	AV	150 1258 00	150 1258 50	V 260	22
325I	2.85-9.90	AR	150 1129 00	150 1129 50	P 258	10
324 TD	8.86-9.90					
BMW E30 325 IX	6.86-12.94	AV	150 1258 00	150 1258 50	V 260	22
325 IX Touring		AR	150 1260 00		P 258	10
BMW E30 Cabrio 318I, 320i	6.86-5.93	AV	150 1258 00	150 1258 50	V 260	22
325i		AR	150 1129 00	150 1129 50	P 258	10
BMW E30 Touring 316I, 318I, 320I	10.85-12.94	AV	150 1258 00	150 1258 50	V 260	22
325I, 324 TD		AR	150 1129 00	150 1129 50	P 258	10
BMW E30 M3 2.3 / 2.5	7.86-10.92	AV	150 1273 00	150 1273 50	V 280	25
		AR	150 1274 00	150 1274 50	P 282	12
BMW Série3 E36						

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
BMW E36 316i / Compact, 318i , 318Ti, 318 TDS	10.90-4.98	AV AR	150 1268 00 150 1282 00	150 1268 50	P 286 P 272	12 10
BMW E36 / E36 Coupé / Cabrio 318 IS, 320i, 325 TDS 325i	10.90-4.98 10.90-2.95	AV AR	150 1269 00 150 1270 00	150 1269 50 150 1270 50	V 286 P 280	22 10
BMW E36 323i / Coupé et Cabrio 328i / Coupé et Cabrio, 323 Ti Compact	3.95-4.98	AV AR	150 1269 00 150 1283 00	150 1269 50 150 1283 50	V 286 V 276	22 19
BMW E36 Touring 320i 325 TDS	5.95--	AV AR	150 1269 00 150 1270 00	150 1269 50 150 1270 50	V 286 P 280	22 10
BMW E36 Touring 323i, 328i	5.95--	AV AR	150 1269 00 150 1283 00	150 1269 50 150 1283 50	V 286 V 276	22 19
BMW E36 M3 Coupé / Cabrio, 3.0 286cv	9.92--	AVG AVD ARG ARD	150 1290 00 150 1291 00 150 1292 00 150 1293 00	150 1290 50 150 1291 50 150 1292 50 150 1293 50	V 315 V 315 V312 V312	28 28 20 20
BMW E36 M3 Coupé / Cabrio, 3.2 321cv	9.95--	AV ARG ARD	150 1292 00 150 1293 00	150 1292 50 150 1293 50	V312 V312	20 20
BMW Série 3 E46 / Compact / Touring / Coupé BMW E46 3.16 i,318i, Ci, Touring	1.98-3.00	AV AR	150 1269 00 150 1270 00	150 1269 50 150 1270 50	V 286 P 280	22 10
BMW E46 3.16 i,318i, Ci, Touring	4.00-- 5.98--00	AV AR	150 1269 00 150 1283 00	150 1269 50 150 1283 50	V 286 V 276	22 19
BMW E46 318D, 320D, 323i, 325i berlines, coupés, break 320i, 320Ci, 320i Touring, 323i, 325i	5.98--00 5.98--00	AV AR	150 1269 00 150 1283 00	150 1269 50 150 1283 50	V 286 V 276	22 19
BMW Série 3 E46 face-lift E46 320D, 323i , 325i /Ci / IX et Touring 328i, 328Ci, 328i Tourig	10.99-- 5.98--6.00	AV AR	150 1288 00 150 1289 00	150 1288 50 150 1289 50	V 300 V 294	22 19
BMW E46 face-lift 328i, 328Ci, 328i Tourig	7.00--	AV AR	150 1294 00 150 1295 00	150 1294 50 150 1295 50	V 325 V 320	25 22
BMW E46 330i, 330Ci, 330i Touring 330 Xi, 330Xi Touring 330D, 330Cd, 330Xd, 330D Touring	10.99--	AV AR	150 1294 00 150 1295 00	150 1294 50 150 1295 50	V 325 V 320	25 22
BMW E46 M3	1.00-	AV AR				
BMW Série 3 E90 BMW E90 318i, 318D		AV	150 3424 00		V 292	22
BMW E90 320D, 320i, 325i, 325Xi		AV AR	150 3427 00 150 3426 00		V 300 V 300	24 20
BMW E90 330i, 330D		AV	150 3428 00		V 330	24
BMW Série 5 E34 BMW E34 518i, 520i 524 TD, 525TDS	2.88-8.95	AV AR	150 1266 00 150 1267 00	150 1266 50 150 1267 50	P 302 P 300	12 10

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
BMW E34 525i, 530i 6cyl, 530i 8cyl 535i	2.88-8.95	AV AR	150 1264 00 150 1267 00	150 1264 50 150 1267 50	V 302 P 300	22 10
BMW E34 525 IX, 525 IX Touring	2.88-8.95	AV AR	150 1275 00 150 1276 00	150 1275 50	V 296 P 300	28 10
BMW E34 540i 8cyl	10.92-8.95	AV AR	150 1261 00 150 1278 00	150 1261 50 150 1278 50	V 302 V 300	28 20
BMW E34 Touring 518i, 520i, 525i, 525 TDS, 530i	2.88-12.96	AV AR	150 1264 00 150 1267 00	150 1264 50 150 1267 50	V 302 P 300	22 10
BMW E34 M5 315cv, 340cv M5 Touring 315cv, 340 cv	2.88-5.94 2.88-10.89 11.89-5.94	AV AR AR	150 1277 00 150 1267 00 150 1278 00	150 1277 50 150 1267 50 150 1278 50	V 315 P 300 V 300	28 10 20
BMW Série 5 E39						
BMW E39 520i, 520D, 525D, 523i 525 TDS	10.95-10.96	AV AR	150 1284 00 150 1285 00	150 1284 50 150 1285 50	V 296 P 298	22 10
BMW E39 520i, 520D, 525D, 523i 525 TDS	10.96-9.00	AV AR	150 1284 00 150 1285 00	150 1284 50 150 1285 50	V 296 P 298	22 10
BMW E39 525i, 528i, 530 D 193cv, 535i	10.95-10.96	AV AR	150 1284 00 150 1286 00	150 1284 50 150 1286 50	V 296 V 298	22 20
BMW E39 525i, 528i, 530 D 193cv, 535i	10.96-9.00	AV AR	150 1284 00 150 1286 00	150 1284 50 150 1286 50	V 296 V 298	22 20
BMW E39 540i, 540i Touring	10.95-3.00	AV AR	150 1271 00 150 1286 00	150 1271 50 150 1286 50	V 324 V 298	30 20
BMW E39 Touring 520i, 523i, 528i, 525 TDS, 530D	2.97--3.00	AV AR	150 1284 00 150 1286 00	150 1284 50 150 1286 50	V 296 V 298	22 20
BMW E39 530 i, 535 i, 530D	10.00--7.03	AV AR	150 1296 00 150 1286 00	150 1296 50 150 1286 50	V 324 V 298	30 20
BMW E39 540i, 540i Touring 530D / Touring	4.00-7.03	AV AR	150 1296 00 150 1286 00	150 1296 50 150 1286 50	V 324 V 298	30 20
BMW E39 M5	10.98--	AV AR				
BMW Série 5 E60						
BMW E60 520i, 525D, 525i	7.03--	AV AR	150 3402 00 150 3405 00	150 3402 50 150 3405 50	V 310 V 320	24 20
BMW E60 530D, 530i	7.03--	AV AR	150 3403 00 150 3405 00	150 3403 50 150 3405 50	V 324 V 320	30 20
BMW E60 545i	7.03--	AV AR	150 3405 00	150 3405 50	V 320	20
BMW Série 6 E63 / 64						
BMW E63 / E64 630i,	1.04--	AV AR				

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
BMW E63 / E64 645CI	1.04--					
BMW Série 7 E32						
BMW E32 730i 6cyl	9.86-10.87	AV AR	150 1261 00 150 1263 00	150 1261 50	V 302 P 300	28 12
BMW E32 730i 6cyl 730i / iL 8cyl	11.87-3.92 4.92-5.94	AV AR	150 1264 00 150 1262 00	150 1264 50	V 302 P 300	22 10
BMW E32 730 iL 6cyl 735i / iL	9.86-3.92	AV AR	150 1261 00 150 1263 00	150 1261 50	V 302 P 300	28 12
BMW E32 740i / iL 750i / iL	9.87--12.90 01.91-5.94	AV AV AR	150 1261 00 150 1271 00 150 1265 00	150 1261 50 150 1271 50 150 1265 50	V 302 V 324 V 300	28 30 20
BMW Série 7 E38	6.94-					
BMW E38 725 TDS 730D, 728i / iL, 730i / iL, 735i / iL		AV AR	150 1279 00 150 1272 00	150 1279 50 150 1272 50	V 316 P 324	28 12
BMW E38 740i / iL	6.94--	AV AR	150 1271 00 150 1272 00	150 1271 50 150 1272 50	V 324 P 324	30 12
BMW E38 740D, 750i / iL	6.94--	AV AR	150 1280 00 150 1281 00		V 334 V 328	32 20
BMW Série 7 E65 / E66						
BMW E65 / E66 735i, Li, 730D	11.01--	AV AR	150 3407 00 150 3410 00		V 324 V 324	30 20
BMW E65 / E66 740D, 745i, Li 760i, Li sans system best Lander	11.01--	AV AR	150 3408 00 150 3411 00		V 348 V 345	30 24
BMW E65 / E66 760i, Li avec system best Lander	11.01--	AV AR	150 3409 00 150 3412 00		V 374 V 370	36 24
BMW Série 8 E31	6.90-					
BMW E31 840i, Ci, 850i, Ci		AV AV AR	150 1271 00 150 1272 00	150 1271 50 150 1272 50	V 324 P 324	30 12
BMW Z1	3.89-12.93					
BMW Z1 2.5		AV AR	150 1258 00 150 1129 00	150 1258 50 150 1129 50	V 260 P 258	22 10
BMW Z3	1.96-					
BMW Z3 1.8, 1.9 Cabrio et Roadster		AV AR	150 1268 00 150 1287 00	150 1268 50 150 1287 50	P 286 P 272	12 10
BMW Z3 2.0, 2.2 i Cabrio et Roadster	5.97	AV AR	150 1269 00 150 1287 00	150 1269 50 150 1287 50	V 286 P 272	22 10
BMW Z3 2.8, 3.0 Cabrio et Roadster	5.97--	AV AR	150 1288 00 150 1287 00	150 1288 50 150 1287 50	V 300 P 272	22 10
BMW Z3 3.2 M Roadster / Coupé	10.95-	AV ARG ARD	150 1292 00 150 1293 00	150 1292 50 150 1293 50	V312 V 276	20 19

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
BMW Z4						
BMW Z4 2.2i, 2.5i	2.03--	AV	150 1269 00	150 1269 50	V 286	22
BMW Z4 3.0i	2.03--	AV	150 1288 00	150 1288 50	V 300	22
BMW X3	1.04--					
BMW X3 2.5, 3.0, 3.0D		AV AR				
BMW X5						
BMW X5 3.0i, 3.0 D, 4.4i	9.99--6.00	AV	150 1297 00	150 1297 50	V 332	30
BMW X5 3.0i, 3.0 D, 4.4i	7.00	AV AR	150 1298 00 150 1299 00	150 1298 50 150 1299 50	V 332 P 324	30 12
CHRYSLER						
Chrysler PT-CRUISER	9.99--	AV AR	155 3905 00 155 3906 00		V 280 P 270	23 9
CITROËN						
CITROËN AX						
Citroën AX Sport	4.87- 4.87-12.94 1.95--	AV AV AV				
Citroën AX GT	5.88-12.94 1.95--	AV AV AV	180 3000 00	180 3000 50	P 238	10
Citroën AX GTI	5.91-12.94	AV AV	440 2034 00	440 2034 50	V 247	20.5
CITROËN BERLINGO	6.96--					
Citroën Berlingo 1.8D, 1.9D		AV	180 2018 00		V265	20.5
CITROËN BX	10.82-93					
Citroën BX GT, GTI, 16S		AV AR	180 2018 00 180 2017 00	180 2018 50	V 266 P 224	20.5 7
CITROËN C2						
Citroën C2 1.1, 1.4, 1.4Hdi	9.03--	AV AR	180 3006 00 440 3107 00		P 266 P 246.5	13 9
Citroën C2 1.6 16v *éfficace aussi sur terre ** C2 challenge uniquement!!	9.03--	AV AV AR	440 3105 00 440 3107 00	440 3105 50	V 266 P 246.5	22 9
CITROËN C3 / C3 PLURIEL	2.02--					
Citroën C3 1.1, 1.4, 1.4Hdi,		AV AR	180 3006 00 440 3107 00		P 266 P 246.5	13 9
Citroën C3 1.4 16v, 1.4 16v Hdi, 1.6 16v	2.02--	AV AR	440 3105 00 440 3107 00	440 3105 50	V 266 P 246.5	22 9

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
CITROËN C5 / BREAK	10.00					
Citroën C5 1.8 16v		AV AR	440 3105 00 180 3016 00	440 3105 50	V 266 P275	22 14
Citroën C5 1.8 Break, 2.0 16v, 2.0 16v Hdi 2.0 Hdi,	10.00	AV AR	440 3106 00 1803016 00	440 3106 50	V 283 P275	26 14
Citroen C5 2.0 Hdi , 2.2Hdi 3.0 V6	10.00	AV AR	180 3015 00 180 3016 00	180 3015 50	V 288 P275	28 14
CITROËN SAXO	1.96-					
Citroën Saxo.1.0 X * sans ABS ** avec ABS		AV AV	180 2019 00	180 2019 50	P 238	8
Citroën Saxo 1.1SX, 1.4SX, 1.5 Diesel	1.96	AV	440 2031 00	440 2031 50	P 247	10
Citroën Saxo 1.6 VTL Saxo 1.6 VTS Saxo 1.6 VTS 16V	1.96-- 1.96--	AV AV AV AR	440 2034 00	440 2034 50	V 247 P 208	20.5
Citroën Saxo 1.6 cup	1.96--	AV AR				
Citroën Saxo 1.6 Challenge	1.96	AV AR				
Citroën Saxo Super 1600 / Kit -car	1.96--	AV AR				
Citroën Saxo T4 Trophy	00--	AV AR				
CITROËN VISA	3.84--6.89					
Citroën Visa 1.6 Gti		AV	180 2033 00	180 2033 50	V 247	20.5
CITROËN XANTIA						
Citroën Xantia 1.8 Xantia 2.0I	9.92- 9.92--12.97	AV AR	180 2018 00 180 3004 00	180 2018 50	V 266 P 224	20.5 9
Citroën Xantia 2.0 16S Xantia 2.0 I	9.92- 12.97--	AV AR	180 3003 00 180 3004 00	180 3003 50	V 283 P 224	22 9
Citroën Xantia 2.0 Turbo Xantia 2.1 TD	7.95-	AV AR	180 3012 00 180 3004 00	180 3012 50	V 283 P 224	26 9
CITROËN XSARA / Xsara Break/ Xsara Coupé	9.97-- 9.97-8.00					
Citroën Xsara 1.4 , 1.5 sans ABS		AV	180 3014 00	180 3014 50	P 247	13
Citroën Xsara 1.4 , 1.5 avec ABS	9.97-8.00	AV	440 2034 00	440 2034 50	V 247	20.5
Citroën Xsara 1.4 , 1.5	9.00--	AV	180 2018 00	180 2018 50	V 266	20.5
Citroën Xsara 1.4HDI, 1.6I, 1.6I 16v, 1.8I, 1.8D, 1.8TD 1.9D, 1.9SD	9.97-8.00	AV	440 2034 00	440 2034 50	V 247	20.5
Citroën Xsara 1.4HDI, 1.6I, 1.6I 16v, 1.8I, 1.8D, 1.8TD 1.9D, 1.9SD	9.00--	AV	180 2018 00	180 2018 50	V 266	20.5

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Citroën Xsara 1.9TD	9;97--	AV	440 2034 00	440 2034 50	V 247	20.5
Citroën Xsara 1.8l 16v, 2.0 16v	9.97--8.00	AV AR	180 2018 00	180 2018 50	V 266	20.5
Citroën Xsara 2.0 16v	9.00-12.01	AV AR	180 3003 00		V 283	22
Citroën Xsara 2.0 16v	01.02--	AV AR	440 3106 00	440 3106 50	V 283	26
Citroën Xsara 2.0Hdi 90cv	4.97--8.00	AV AR	180 3003 00	180 3003 50	V 283	22
Citroën Xsara 2.0Hdi 90cv	9.00-12.01	AV AR	180 3003 00	180 3003 50	V 283	22
Citroën Xsara 2.0Hdi 90cv	9.00-12.01	AV AR	440 3105 00	440 3105 50	V 266	22
Citroën Xsara 2.0 Hdi 109 cv	9.97-12.01	AV AR	180 3003 00	180 3003 50	V 283	22
Citroën Xsara 2.0 Hdi 109 cv	01.02--	AV AR	440 3106 00	440 3106 50	V 283	26
Citroën Xsara Picasso 1.6, 1.8 16v, 2.0Hdi	6.00--	AV AV AV AR	180 2018 00	180 2018 50	V 266	20.5
Citroën Xsara Picasso 2.0 16v	1.03--	AV AR	440 3106 00	440 3106 50	V 283	26
CITROËN ZX Citroën ZX 1.1, 1.4, 1.4l	3.91-6.97	AV	440 2031 00	440 2031 50	P 247	10
Citroën ZX 1.6l, 1.8l, 1.8l 16v, 1.9l, 2.0 l ZX 1.9 TD,	7.91-8.97	AV AR	440 2034 00	440 2034 50	V 247	20.5
Citroën ZX 2.0 16S	8.93-6.95	AV AR	180 2018 00	180 2018 50	V 266	20.5
Citroën ZX 2.0 16S roues 15 pouces	8.93-6.95	AV AR	180 3003 00	180 3003 50	V 283	22
FERRARI						
Ferrari Dino 246 GT	4.69-12.73	AV AR				
Ferrari Dino Ferrari Dino 208 GT / GTS 308 GT / GTS	6.78-10.85	AV AR				
Ferrari 328 GTB / GTS	1.86-12.89	AV AR				

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Ferrari 348 GTB / GTS / Spider	01.89-95	AV AR				
Ferrari 355 Berlinetta, GTS, Spider	9.94-	AV AR				
Ferrari 355 3.5 Challenge		AV AR				
Ferrari 360 Modena	99--	AV AR				
Ferrari 360 Modena 3.6 Challenge		AV AR				
Ferrari 365	68--77	AV				
Ferrari 550 Maranello 5.5	4.98--	AV AV AR AR				
Ferrari Mondial 2.9, 3.2, 3.4	10.85-11.89	AV AR				
Ferrari F40 3.0	88-92	AV AR				
Ferrari Testarossa	84-91	AV AR				
FIAT						
BARCETTA 1,8 16V	4,95-	AV AR	230 2359 00 230 2356 00	230 2359 50 230 2356 50	V 257 P 240	20 11
FIAT BRAVA / BRAVO 1.2, 1.4, 1.6, 1.9D, Fiat Brava 1.9 TD 75 S	9.95--	AV	230 2357 00	230 2357 50	P 257	12
Fiat Brava 1.8I, 1.9 TD 100 S	9.95-	AV	230 2359 00	230 2359 50	V 257	20
Fiat Brava 2.0 20V HGT	9.95-	AV AR	110 2209 00 230 2356 00	110 2209 50 230 2356 50	V 284.5 P 240	22 11
FIAT CINQUECENTO Fiat Cinquecento 07 IE, 0.9 IE, 1.1 Sporting	9.92-2.98	AV	230 2356 00	230 2356 50	P 240	11
FIAT COUPE Fiat Coupé 1.8 16V, 2.0 16V, 2.0 20V	11.93-	AV AV AR	230 2363 00 230 2356 00	230 2363 50 230 2356 50	V 284 P 240	22 11
Fiat Coupé 2.0 16V Turbo	1.94-5.95-	AV AV AR	110 2209 00 230 2356 00	110 2209 50 230 2356 50	V 284 P 240	22 11

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Fiat Coupé 2.0 20V Turbo	7.97--	AV AR	110 2209 00 230 2356 00	110 2209 50 230 2356 50	V 284 P 240	22 11
Fiat CoupéE 2.0 20V 220cv	96--	AV AV				
FIAT MAREA / MAREA WEEKEND						
Fiat Maréa 1.2 16V, 1.4 80 12V, 1.9Td 100, 1.9JTD 105 / 110 Disque avant plein	9.96--	AV	230 2357 00	230 2357 50	P 257	12
Fiat Maréa 1.2 16V, 1.4 80 12V, 1.9TD100, 1.9JTD105/110 Disque avant ventilé	9.96--	AV		230 2359 50	V 257	20
Fiat Maréa 2.0 20V, 2.4JTD	9.96--3.00	AV AR	110 2209 00 230 2356 00	110 2209 50 230 2356 50	V 284 P 240	22 11
Fiat Maréa 2.0 20V, 2.4JTD	4.00--	AV AR	110 2209 00 230 2356 00	110 2209 50 230 2356 50	V 284 P 240	22 11
FIAT PALIO						
Fiat Palio 1.6l, 1.6l Weekend	9.97--	AV	230 2359 00	230 2359 50	V 257	20
FIAT PANDA						
Fiat Panda 1.1, 1.2	9.03--	AV	230 2356 00	230 2356 50	P 240	11
Fiat Panda 1.3 JTD	9.03--	AV	230 2367 00	230 2367 50	V 240	20
FIAT PUNTO I	9.93-8.99					
Fiat Punto I 1.1, 1.2 (sans ABS)		AV	230 2356 00	230 2356 50	P 240	11
Fiat Punto I 1.1, 1.2, 1.2l 16v, 1.6, (avec ABS)	6.93-8.99	AV	230 2357 00	230 2357 00	P 257	12
Fiat Punto I 1.4 GT	9.93-5.97	AV AR	230 2359 00 230 2356 00	230 2359 50 230 2356 50	V 257 P 240	20 11
Fiat Punto I 1.4 GT	6.97-8.99	AV AR	230 2359 00 230 2356 00	230 2359 50 230 2356 50	V 257 P 240	20 11
Fiat Punto I 1.6	9.93-4.97	AV AR	230 2357 00 230 2356 00	230 2357 00 230 2356 50	P 257 P 240	12 11
Fiat Punto I 1.6	5.97-8.99	AV AR	230 2357 00 230 2356 00	230 2357 00 230 2356 50	P 257 P 240	12 11
Fiat Punto I 1.7D, 1.7 Turbo Diesel	6.93--4.97	AV AR	230 2357 00 230 2356 00	230 2357 50 130 2356 50	P 257 P 240	12 11
Fiat Punto I 1.7D, 1.7 Turbo Diesel	5.97-8.99	AV AR	230 2357 00 230 2356 00	230 2357 50 130 2356 50	P 257 P 240	12 11
FIAT PUNTO II	9.99-					
Fiat Punto II 1.2		AV	230 2356 00	230 2356 50	P 240	11
Fiat Punto II 1.2 16V	9.99-	AV	230 2357 00	230 2357 50	P 257	12
Fiat Punto II 1.4	9.03--	AV				

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Fiat Punto II 1.8l HGT 130cv	9.99-	AV AR	230 2365 00 230 2356 00	230 2365 50 230 2356 50	V 257 P 240	22 11
Fiat Punto II 1.9DS	9.99-	AV	230 2357 00	230 2357 50	P 257	12
Fiat Punto II 1.3JTD, 1.9JTD	9.99-	AV	230 2359 00	230 2359 50	V 257	20
FIAT SEICENTO Fiat Seicento 0.9, 1.1	3.98-	AV	230 2356 00	230 2356 50	P 240	11
FIAT STILO / STILO Break Fiat Stilo 1.2, 1.6	10.01--	AV AR	230 2365 00 230 2352 00	230 2365 50 230 2352 50	V 257 P 251	22 10
Fiat Stilo 1.8	10.01--	AV AR	230 2365 00 230 2352 00	230 2365 50 230 2352 50	V 257 P 251	22 10
Fiat Stilo 1.9 Jtd	10.01--	AV AR	110 2209 00 230 2352 00	110 2209 50 230 2352 50	V 284 P 251	22 10
Fiat Stilo 2.4 20v	10.01--	AV AR	230 2366 00 230 2352 00	230 2366 50 230 2352 50	V 281 P 251	26 10
FIAT UNO Fiat Uno 1.3 Turbo IE, 1.4 Turbo IE	3.85-8.93	AV AR	230 2358 00 230 1103 00	230 2358 50 230 1103 50	V 240 P 227	20 11
FORD						
FORD COUGAR Ford Cougar 2.0 16v	8.98--	AV AR	250 1332 00 250 1333 00	250 1332 50 250 1333 50	V 260 V 253	24 20
Ford Cougar 2.5 ST200, 2.5 V6 24v	8.98--	AV AR	250 1338 00 250 1333 00	250 1338 50 250 1333 50	V 278 V 253	24 20
FORD ESCORT IV Ford Escort III RS 1600 Turbo	1.86-8.90	AV	250 1326 00	250 1326 50	V 260	24
FORD ESCORT V Ford Escort V-VII 1.3, 1.4, 1.6l, 1.8 Diesel, 1.8 Turbo Diesel, 1.8l, XR3i 1.8 77kw, Express et avant.	7.90--1.92	AV AR	250 1328 00 250 1335 00	250 1328 50 250 1335 50	V 239.5 P 270	20 10
Ford Escort V-VII 1.4, 1.6, 1.8 Diesel, 1.8 Turbo Diesel, 1.8l,	1.92--6.97	AV AR	250 1328 00 250 1335 00	250 1328 50 250 1335 50	V 239.5 P 270	20 10
Ford Escort V-II 1.4, 1.6, 1.8 Diesel, 1.8 Turbo Diesel, 1.8l,	7.97--7.00	AV AR	250 1328 00 250 1335 00	250 1328 50 250 1335 50	V 239.5 P 270	20 10
Ford Escort V-II 1.8l, 1.8 16v, XR3i 1.8l 96kw Cabrio	01.92-6.97	AV AR	250 1334 00 250 1335 00	250 1334 50 250 1335 50	V 260 P 270	24 10
Ford Escort V-II 1.8l, 1.8 16v, XR3i 1.8l 96kw Cabrio	6.97--7.00	AV AR	250 1334 00 250 1335 00	250 1334 50 250 1335 50	V 260 P 270	24 10
Ford Escort V-II RS 2000 110kw 2 / 4 roues motrices	9.92-8.97	AV AV AR	250 1336 00 250 1335 00		V 273 P 270	20 10

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Ford Escort V-II 2.0 Turbo 16V Cosworth	5.92-8.97	AV AR				
FORD FIESTA III	4.89-8.95					
Ford Fiesta III 1.0, 1.1, 1.3, 1.4, 1.8 Diesel, sans ABS		AV	250 1327 00	250 1327 50	P 239,5	10
Ford Fiesta III 1.0, 1.1, 1.3, 1.4, 1.8 Diesel, avec ABS		AV	250 1328 00	250 1328 50	V 239.5	20
Ford Fiesta III XR2i 1.6, XR2i 1.8, 1.8 S, RS Turbo	9.89-8.95	AV	250 1328 00	250 1328 50	V 239.5	20
FORD FIESTA IV						
Ford Fiesta IV 1.3, 1.8 Diesel	9.95-2.00	AV AV AV AV	250 1341 00	250 1341 50	P 239.5	12
Ford Fiesta IV 1.25 16V, 1.4 16V, 1.8D	9.95-2.00	AV AV	250 1328 00	250 1328 50	V 239.5	20
Ford Fiesta IV 1.25 16v, 1.3, 1.4 16v, 1.6 16v, 1.8D	3.00--10.01	AV	250 1343 00	250 1343 50	V 258	22
FORD FIESTA V						
Ford Fiesta V 1.3, 1;3 16v, 1.4 16v, 1.4TDCI, 1.6 16v	11.01--	AV	250 1343 00	250 1343 50	V 258	22
Ford Fiesta V ST 150	04--	AV				
FORD FOCUS I , FOCUS I BREAK	8.98--					
Ford Focus I 1.4, 1.6, 1.8, 1.8Di, 2.0, 1.9TDI		AV AR	250 1343 00 250 1340 00	250 1343 50 250 1340 50	V 258 P 253	22 10.3
Ford Focus I ST170 / RS	3.02--	AV AV AR				
FORD FOCUS II						
Ford Focus II 1.4 16V, 1.6 16V, 1.8 16V, 2.0 16V	1.04--	AV AR	250 1353 00	250 1353 50	V 300	25
Ford Focus II C MAX 1.6, 1.8, 1.6TdcI, 2.0TdcI	1.03-	AV AR	250 1353 00	250 1353 50	V 300	25
FORD FUSION						
Ford Fusion 1.4, 1.6, 1.6TdcI	8.02--	AV	250 1343 00	250 1343 50	V 258	22
FORD KA	9.96-2.00					
Ford Ka 1.3i		AV AV AV AV	250 1341 00	250 1341 50	P 239.5	12
Ford Ka 1.3i	3.00--7.02	AV AV AV AV	250 1328 00	250 1328 50	V 239.5	20
Ford Ka 1.3i, 1.6i, Street Ka	8.02--	AV	250 1343 00	250 1343 50	V 258	22
FORD MONDEO III						

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Ford Mondéo III tous modèles de 1.8 16V à 2.5V6 ST220 , et Diesel tous type	11.00--	AV AR	250 1344 00 250 1345 00	250 1344 50 230 1345 50	V 300 V 280	24 12
FORD PUMA	7.97--1.00					
Ford Puma 1.4 16V, 1.6 16V, 1.7 16V		AV AV	250 1328 00	250 1328 50	V 239.5	20
Ford Puma 1.4 16V, 1.6 16V, 1.7 16V	2.00--	AV	250 1343 00	250 1343 50	V 258	22
Ford Puma Challenge	1.99--	AV	250 1328 00	250 1328 50	V 239.5	20
FORD SIERRA	3.85-7.93					
Ford Sierra 1.8, 1.8D, 2.0 2.8i XR4i, 2.9i		AV AR	250 1326 00 250 1319 00	250 1326 50	V 260 P 253	24 10.5
Ford Sierra 2.0 Cosworth, 2RM 4 portes RS Cosworth 500 Coupé	9.85-1.90	AV AR	250 1329 00	250 1329 50	V 283	24
Ford Sierra 2.0 Cosworth 4x4	1.90-7.93	AV AR	250 1336 00		V 273	20
Ford Sierra 2.0i XR4i 4x4, 2.0i XR4i 2RM 2.9i XR4i 4x4	4.83-7.93	AV AR	250 1318 00 250 1319 00		V 260 P 253	24.5 10.5
HONDA						
HONDA ACCORD VI CE / CF	2.96--					
Honda Accord VI 1.8,1.9, 2.0,2.0 TDI ABS, 2.2 VTEC		AV AV AR	280 3152 00 280 3155 00	280 3152 50 280 3155 50	V 260 V 282	23 23
HONDA ACCORD VII CG	10.98--					
Honda Accord VII 1.8i, 2.0i, 2.0 Turbo Di		AV AR	280 3157 00	280 3157 50	V 282	25
Honda Accord VII 2.2 Typ R	10.98--	AV AR	280 3158 00	280 3158 50	V 300	28
HONDA CIVIC III	88-8.91					
Honda Civic III 1.5 16V, 1.6 16V, CRX 16V ED9		AV	280 2088 00	280 2088 50	V 242	19
Honda Civic III 1.6 16V VTEC EE8, CRX 16V EE9	6.88-11.91	AV AR	280 3153 00	280 3153 50	V 262	21
HONDA CIVIC IV / COUPE	11.91-10.95					
Honda Civic IV 1.5i 16V EG8 / EG4, 1.6 16V VTEC EH9 sans ABS		AV AR	280 3154 00	280 3154 50	V 240	21
Honda Civic IV 1.6 16V VTEC EH9 / EG5 avec ABS 1.6Vti EG9,EG6 CRX III 1.6Esi EH6, 1.6Vti EG2	11.91-12.97	AV AR	280 3153 00	280 3153 50	V 262	21
HONDA CIVIC V / COUPE	3.98--2.01					
Honda Civic V 1.5i EK3, 1.6i, 1.6i VTEC EK1, 1.6 Vti EK4 1.6Vti Fastback MB		AV AR	280 3153 00	280 3153 50	V 262	21
Honda Civic V Aérodeck 1.4 16V, 1.5 16V, 1.6 16V, 2.0 1D MB8 / MB9 / MC1 / MC3	3.98--2.01	AV AR	280 3153 00	280 3153 50	V 262	21
Honda Civic V Aérodeck 1.8 16V	9.98--2.01	AV	280 3153 00	280 3153 50	V 262	21

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
		AR				
HONDA CIVIC VI / COUPE						
Honda Civic VI 1.6I, 1.7I, 1.7I VTEC,	2.01--	AV AV AR	280 3153 00 280 3165 00	280 3153 50 280 3165 50	V 262 P 259,6	21 9
Honda Civic VI 1.7CTDi	1.02	AV AV AR	280 3163 00 280 3164 00		V 259.8 P 259.5	23 10
Honda Civic VI 2.0 Typ R	9.01--	AV AR	280 3161 00 280 3162 00		V 300 P 259.7	25 10
HONDA HRV	3.99--					
Honda Hrv 1.6 16V, 1.6 16V 4WD		AV	280 3160 00	280 3160 50	V 282	23
HONDA INTEGRA						
Honda Integra 1.8 16V Typ R	1.98-	AV				
HONDA NSX	9.90-					
Honda NSX 3.0 24V		AV AR				
HONDA PRELUDE IV / V						
Honda Prélude 2.0I, BB3 / BB9	2.92-	AV				
Honda Prélude IV / V 2.2 16v V-TEC, 2.316v BB1 / 2 / 6 / 8	2.92-	AV AR				
HONDA STREAM						
Honda Stream 1.7 16v, 2.0 16v	5.01--	AV AR				
JAGUAR Nous consulter						
LANCIA						
LANCIA DELTA	6.93-					
Lancia Delta 1.6 sans ABS		AV	230 2356 00	230 2356 50	P 240	11
Lancia Delta 1.6, 1.8, 1.9 TD avec ABS	6.93--	AV AV AR	230 2357 00 230 2356 00	230 2357 50 230 2356 50	P 257 P 240	12 11
Lancia Delta HF Turbo, HF 4WD	6.85-12.88	AV AR	230 2353 00 230 1103 00	230 2353 50 230 1103 50	V 257 P 227	20 11
Lancia Delta HF Turbo, HF 4WD	1.89--	AV AV AR	230 2353 00 230 1103 00	230 2353 50 230 1103 50	V 257 P 227	20 11
Lancia Delta HF Turbo Integrale 16V	11-87-6.91	AV AV AR	110 2209 00 230 1103 00	110 2209 50 230 1103 50	V284 P 227	22 11
Lancia Delta 2.0 Evolution Turbo Intégrale	1.93--	AV				

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
		AV AR				
LANCIA LYBRA Lancia Lybra 1.6, 1.8, 2.0, 1.9Jtd, 2.4Jtd	7.99	AV AR	110 2209 00 230 2352 00	110 2209 50 230 2352 50	V284 P 251	22 10
LANCIA STRATOS	73--	AV				
LANCIA Y Lancia Y 1.2 sans ABS	9.95-	AV	230 2356 00	230 2356 50	P 240	11
Lancia Y 1.2 avec ABS, 1.4 IS, 1.4 IX	9.95--	AV	230 2357 00	230 2357 50	P 257	12
LANCIA ZETA 2.0, 2.0 I Turbo, 2.1 TD	-	AV AR	180 3008 00 180 3009 00	180 3008 50 180 3009 50	V 281 P 295	26 10
LAND ROVER						
LAND ROVER DEFENDER Land Défender 90 , 110, V8	9.73-98	AV AR	450 1531 00 450 1532 00	450 1531 50 4 501 531,50	P 298.5 P 290	14 12.5
LAND ROVER DISCOVERY Land Discovery 2.5TD, 3.9 * sans ABS ** avec ABS	1.93-10.97-	AV AV AR	450 1531 00* 450 1535 00** 450 1532 00	4 501 531,50 450 1535 50	P 298.5 V 298 P 290	12.9 24 12.5
RANGE ROVER Range Rover 2.5TD, 4.0, 4.2 Vogue LSE * sans ABS ** avec ABS	1.90-8.94	AV AV AR	450 1531 00* 450 1535 00** 450 1532 00	450 1531 50 450 1535 50 450 1532 50	P 298.5 V 298 P 290	14 24 12.5
RANGE ROVER 2.5TD Range Rover 2.5TDI 136cv , 4.0, 4.0I SE 190cv, 4.2 V8 LSE 200cv, 4.6I HSE V8 Auto 225cv * sans ABS ** avec ABS	9.94-- 1.94-- 9.94-- 1.93-- 1.94--	AV AV AR	450 1531 00* 450 1535 00** 450 1532 00	450 1531 50 450 1535 50 450 1532 50	P 298.5 V 298 P 290	14 24 12.5
LEXUS Nous consulter						
MAZDA						
MAZDA 121 Mazda 121 1.25I, 1.3, 1.8D	1.96-	AV	250 1341 00	250 1341 50	P 239.5	12
Mazda 121 1.25I, 1.3, 1.8D	1.96--	AV	250 1328 00	250 1328 50	V 239.5	20
MAZDA 4 Mazda 4 1.6 16V, 1.9D, 2.0 16V	04--	AV AR				
MAZDA 6, GG / GY Mazda 6 1.8	8.02--	AV AR	370 3072 00 370 3075 00	370 3072 50 370 3075 50	V 273.5 P 279.10	24 8

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Mazda 6 2.0, 2.3, 2.0Di	8.02--	AV AR	370 3074 00 370 3075 00	370 3074 50 370 3075 50	V 283 P 279.10	25 10
MAZDA MX3 EC Mazda Mx3 1.6i, 1.8V6	7.91--	AV AR	370 3068 00	370 3068 50	V 257	22
MAZDA MX5 Mazda Mx5I NA Miata 1.6 16v	4.90-8.93	AV AR	370 3066 00	370 3066 50	V 235	18
Mazda Mx5I NA 1.6 16v, 1.8	9.93--4.98	AV AR	370 3069 00	370 3069 50	V 255	20
Mazda Mx5 II NB 1.6 16V, 1.8 16V, 1.9 16V	5.98--7.00	AV AR	370 3069 00	370 3069 50	V 255	20
Mazda Mx5 II NB 1.6 16V, 1.8 16V, 1.9 16V	8.00--	AV AR	370 3069 00	370 3069 50	V 255	20
Mazda Mx5 II NB CUP		AV AR				
MCC SMART Smart 600, 800Cdi, Smart Roadster	1.98--	AV	405 4100 00	405 4100 50	P 280	9
Smart Four-Four roue 14 pouces	4.04--	AV				
Smart Four-Four roue 15 pouces	4.04--	AV				
MERCEDES BENZ						
MERCEDES 190 W201 Mercedes W201 190E 1.8, 190/190E 2.0 190D 2.0, 190D 2.5	11.83-6.93	AV AR	400 1402 00 400 1407 00	400 1402 50 400 1402 50	P 262 P 258	11 9
Mercedes W201 190E 2.3, 190E 2.6 190D 2.5 Turbo	11.83-6.93	AV AR	400 1413 00 400 1407 00	400 1413 50 400 1407 50	V 262 P 258	22 9
Mercedes W201 190E 2.3 16V 190E 2.5 16V	9.84-6.93	AV AR	400 1405 00 400 1407 00	400 1405 50 400 1407 50	V 284 P 258	22 9
MERCEDES CLASSE A, W168 Mercedes W168 A140 1.4L, A160CDI	9.97-	AV	400 3601 00	400 3601 50	P 260	12
Mercedes W168 A160 1.6L, A170 CDI	9.97-	AV AR	400 3602 00 400 3611 00	400 3602 50 400 3611 50	V 260 P 258	22 8
Mercedes W168 A190	7.98--	AV AR	400 3610 00 400 3611 00	400 3610 00 400 3611 50	V 276 P 258	22 8
Mercedes W168 A210	3.02--	AV AR	400 3633 00 400 3611 00	400 3611 50	V 276 P 258	22 8
MERCEDES CLASSE A / B, W169 Mercedes W169 A150, A170, A160CDI, A170CDI	9.04--	AV AR	400 3641 00	400 3641 50	P 276	12
Mercedes W169 A200, A200CDI	9.04--	AV AR				

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
MERCEDES CLASSE C, W202	6.93-					
Mercedes W202 C 180	6.93-	AV	400 1425 00	400 1425 50	P 284	12
C 200D, C 250D	6.93-7.95	AR	400 1427 00	400 1427 50	P 258	9
C 220D	6.96--	AR				
Mercedes W202 C 200, C 200 CDI, C 220 CDI, C 230, C 240	6.93-	AV AR AR	400 1426 00 400 1427 00	400 1426 50 400 1427 50	V 284 P 258	22 9
Mercedes W202 C 200K, C 230K, C 250TD, C 280	6.93-	AV AR	400 1426 00 400 1427 00	400 1426 50 400 1427 50	V 284 P 258	22 9
Mercedes W202 C 180T, C200T, C200DT, C200 CDIT C 220T, C 220 DT, C 220 CDI T, C 230T	6.93-	AV AR	400 1426 00 400 1412 00	400 1426 50 400 1412 50	V 284 P 278	22 9
Mercedes W202 C 230KT, C240T, C280T, C250TD T	9.96--	AV AR	400 1435 00 400 1412 00	400 1435 50 400 1412 50	V 288 P 278	25 9
Mercedes W202 AMG C 36, C 43	5.94--	AV AR				
MERCEDES CLASSE C, W203						
Mercedes W203 C 180, C 200, C 200K C 200CDI, C 220CDI	5.00--	AV AR	400 1435 00 400 1412 00	400 1435 50 400 1412 50	V 288 P 278	25 9
Mercedes W203 C 240, C 320 C 270CDI	5.00--	AV AR	400 1443 00 400 1412 00	400 1443 50 400 1412 50	V 300 P 278	28 9
MERCEDES COUPE CLK, W208	6.97-5.02					
Mercedes W208 CLK 200 CLK 230K		AV AR	400 1435 00 400 1412 00	400 1435 50 400 1412 50	V 288 P 278	25 9
Mercedes W208 CLK 320	6.97-5.02	AV AR	400 1443 00 400 1437 00	400 1443 50 400 1437 50	V 300 P 290	28 10
MERCEDES COUPE CLK, C209	6.02--					
Mercedes C209 200CGI, 200K		AV AR	400 1435 00 400 1412 00	400 1435 50 400 1412 50	V 288 P 278	25 9
Mercedes C209 240, 270CDI, 320	6.02	AV AR	400 1443 00 400 1437 00	400 1443 50 400 1437 50	V 288 P 290	28 10
Mercedes C209 500	6.02--	AV AR	400 3629 00	400 3629 50	V 345	30
Mercedes C209 AMG		AV AR	400 3628 00	400 3628 50	V 345	30
MERCEDES CLASSE E W124	8.85-6.93					
Mercedes W124 200 / 200E 230E	8.85-7.92	AV	400 1406 00	400 1406 50	P 284	12
200D, 250D, 300D	8.85-7.89 8.85-6.93	AR	400 1407 00	400 1407 50	P 258	9
Mercedes W124 200T, 200 TD, 250 TD 230 TE	3.86-6.93 12.85-7.89	AV AR	400 1406 00 400 1412 00	400 1406 50 400 1412 50	P 284 P 278	12 9
Mercedes W124 230E, 230 CE 250D Turbo, 260E	9.89-7.92 8.85-7.92	AV AR	400 1405 00 400 1407 00	400 1405 50 400 1407 50	V 284 P 258	22 9

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
300E, 300 CE 200E 16V, 220E 16V, 280E 24V	8.85-7.92 9.92-6.93					
Mercedes W124 230 TE 300 TE, 300 TD Turbo, 200 TE 16V, 220 TE 16V, 280 TE 24V	9.89-7.93	AV AR	400 1405 00 400 1412 00	400 1405 50 400 1412 50	V 284 P 278	22 9
Mercedes W124 300E 24V, 320E 24V 300 CE 24V 300 TE 24V avant., 320 TE 24V avant.	9.89-6.93	AV AR	400 1418 00 400 1412 00	400 1418 50 400 1412 50	V 295 P 278	22 9
Mercedes W124 400E	1.92-6.93	AV AR	400 1430 00 400 1431 00	400 1430 50 400 1431 50	V 294 V 278	25 24
Mercedes W124 500E	1.92-6.93	AV AR	400 1419 00	400 1419 50	V 300	28
Mercedes W124 E 200D, E 250D, E 300D	3.91-6.93	AV AR	400 1406 00 400 1407 00	400 1406 50 400 1407 50	P 284 P 258	12 9
Mercedes W124 E200, E220, E 280, E250 TD, E300 TD CE 200, CE 220, CE 280	7.93-5.95	AV AR	400 1429 00 400 1407 00	400 1429 50 400 1407 50	V 284 P 258	22 9
Mercedes W124 E 320, CE 320	7.93-5.95	AV AR	400 1418 00 400 1412 00	400 1418 50 400 1412 50	V295 P 278	22 9
Mercedes W124 E 420 E 500 * E500 uniquement	7.93-5.95	AVG AVD AR AR	400 1430 00 400 1419 00 400 1431 00 400 1434 00*	400 1430 50 400 1419 50 400 1431 50	V294 V300 V 278 V 300	25 28 24 22
MERCEDES CLASSE E W210 Mercedes W210 E 200, E 200 CDI, E 220D, E 220 CDI E 230, E 240, E 250D, E 290 TD, E 300D	6.95-3.02	AV AR	400 1435 00 400 1412 00	400 1435 50 400 1412 50	V 288 P 278	25 9
Mercedes W210 E 250TD, E 280, E 300 TD, E 320	6.96-3.02	AV AR	400 1443 00 400 1437 00	400 1443 50 400 1437 50	V 300 P 290	28 10
Mercedes E 420, E 430	6.96-3.02	AV AR	400 1436 00 400 1437 00	400 1436 50 400 1437 50	V 316 P 290	28 10
Mercedes W210 E 200T, E 230T, E 240T, E 220 CDI E 250TDT, E 290 TD	6.96-3.02	AV AR	400 1435 00 400 3600 00	400 1435 50 400 3600 50	V 288 P 290	25 10
Mercedes W210 E 280T / 4Matic, E 300TDT, E 320T / 4Matic	6.96-3.02	AV AR	400 1443 00 400 3600 00	400 1443 50 400 3600 50	V 300 P 290	28 10
Mercedes W210 E 420T, E 430T	6.96-3.02	AV AR	400 1436 00 400 3600 00	400 1436 50 400 3600 50	V 316 P 290	28 10
MERCEDES CLASSE E W211 / W211T Break Mercedes W211 E200, E200K, E200CGI, E200CDI, E220CDI E240, E240 4-matic	3.02--	AV AR	400 3618 00 400 3621 00	400 3618 50 400 3621 50	V 295 P 300	28 10
Mercedes W211 E270CDI	3.02--	AV AR	400 3619 00 400 3621 00	400 3619 50 400 3621 50	V 295 P 300	28 10
Mercedes W211 E320, E320 4-matic, E320CDI	3.02--	AV AR	400 3620 00 400 3622 00	400 3620 50 400 3622 50	V 312 P 300	28 22

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Mercedes W211 E400CDI, E500	2.3--	AV AR	400 3637 00 400 3622 00	400 3637 50 400 3637 50	V 330 V 300	32 22
Mercedes W211 AMG E55	10.02--	AV AR	400 3625 00 400 3626 00	400 3625 50 400 3626 50	V 360 V 330	36 36
MERCEDES CLASSE M W163	10.97-					
Mercedes W163 ML 230, ML 270CDI		AV	400 3603 00	400 3603 50	V 303	26
ML 320 jusque châssis A289558/X754619		AR	400 3604 00	400 3604 50	P 285	15
Mercedes W163 ML270CDI, ML320 A289559/X754620-->	8.99--	AV	400 3612 00	400 3612 50	V 345	32
ML430, ML350, ML400CDI, ML500, ML AMG 55	11.98--	AR	400 3613 00	400 3613 50	P 331	14
MERCEDES CLASSE R, ROADSTER R129	9.90-	AV	400 1419 00	400 1419 50	V 300	28
Mercedes R129 300 SL, 300 SL 24V, 500 SL,	9.90-9.96	AR	400 1420 00		P 278	9
SL 280, SL 320	10.96-	AR	400 1450 00		P 290	10
Mercedes R129 R600 SL 12cyl	1.93--	AVG AVD AR	400 1432 00 400 1433 00 400 1434 00		V 320 V 320 V 300	30 30 22
MERCEDES CLASSE R, ROADSTER R170	5.96-					
Mercedes R170 SLK 200		AV	400 1435 00	400 1435 50	V 288	25
SLK 230K		AR	400 1412 00	400 1412 50	P 278	9
Mercedes R170 SLK 320	5.99--	AV AR	400 1443 00 400 1412 00	400 1412 50	V 300 P 278	28 9
Mercedes R170 SLK 32 AMG	5.96-5.04					
MERCEDES CLASSE R, ROADSTER R171						
Mercedes R 171 200K	6.04--	AV AR				
MERCEDES SLR 5.4	4.04--	AV AR				
MERCEDES CLASSE R, ROADSTER R230						
Mercedes R230 SL 350	3.03--	AV AR	400 3640 00	400 3640 50	V 312	28
Mercedes R230 SL 500	3.03--	AV AR	400 3636 00		V 330	32
Mercedes R230 SL 55AMG	3.03--	AV AR	400 3625 00 400 3627 00		V 360 V 330	36 26
MERCEDES CLASSE S W140	3.91-9.98					
Mercedes W140 300 SE / SEL,		AV AR	400 1422 00 400 1423 00		V 310 P 290	28 12
Mercedes W140 S 280, 300 SD 3.5 Turbodiesel,	3.93--9.98	AV AR	400 1421 00 400 1423 00		V 320 P 290	30 12
300 SD, S 300 TD, 320 SE / SEL, S 320						
Mercedes W140 400, 420SE/SEL, S420,500SE/ SEL/SEC	3.91-9.98	AV AR	400 1421 00 400 1424 00		V 320 V 300	30 22
S500, 600SE / SEL / SEC, S 600, CL420, CL500, CL600						

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
MERCEDES CLASSE S W220						
Mercedes W 220 S280, S320, S350	10.98--	AV AR	400 3607 00 400 3608 00		V 312 P 300	28 11
Mercedes W 220 S320CDI, S500	10.98--	AV AR	400 3606 00 400 3608 00		V 330 P 300	32 11
Mercedes W 220 S400CDI	10.98--	AV AR	400 3606 00 400 3609 00		V 330 V 300	32 22
Mercedes W220 S600,	10.98--4.02	AV AR	400 3615 00 400 3617 00		V 345 V 315	32 22
Mercedes W220 S55AMG	4.99--	AV AR	400 3615 00 400 3617 00		V 345 V 315	32 22
Mercedes W220 S55AMG	4.02--	AV AR	400 3634 00 400 3635 00		V 360 V 330	36 26
MITSUBISHI						
MITSUBISHI CARISMA	9.95-					
Mitsubishi Carisma 1.6, 1.8l 16V		AV AR	380 2157 00		V 256	24
MITSUBISHI LANCER	1.99--					
Mitsubishi Lancer 2.0 Turbo EVO 5, EVO 6, EVO 7 terre		AV AV AR				
Mitsubishi Lancer 2.0 Turbo EVO 5, EVO 6, EVO7 asphalte	1.99--	AV AR				
Mitsubishi Lancer EVO 8	03--	AV				
MITSUBISHI L200	9.96--	AV				
Mitsubishi L200 2.5TD 4X4 Pickup						
MITSUBISHI PAJERO / MONTERO	9.91--	AV AR	380 2160 00	380 2160 50	V 276	24
Mitsubishi Pajero III 3.2DI-D, 3.5 V6	4.00--	AV AR				
NISSAN						
NISSAN 200 SX	9.88-					
Nissan 200 SX S13 Turbo 16V	9.88-9.91 10.91-9.94	AV AV AR	200 2504 00	200 2504 50	V 257	22
Nissan 200 SX S14 2.0 16v Turbo, 2.4l	10.93--	AV				
NISSAN 350Z	4.02	AV AR				

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
NISSAN ALMERA II						
Nissan Almera II 1.5, 1.8, 2.2DI	3.00--8.02	AV AR	200 2514 00	200 2514 50	V 280	22
Nissan Almera II 1.5, 1.8, 2.2DI	8.02--	AV AR	200 2514 00	200 2514 50	V 280	22
NISSAN MICRA	11.92-12.02					
Nissan Micra II K11 1.0, 1.3		AV	200 2509 00		P 234	12
Nissan Micra III K12	1.03--	AV				
NISSAN MURANO	03--	AV				
NISSAN PATROL (160 / 260)	11.79-11.95	AV	200 2049 00		V 294,5	20
Nissan Patrol (Y60)	9.88-6.97	AV AR	200 2049 00		V 294,5	20
Nissan Patrol (Y61)	7.97--	AV AR				
NISSAN PRIMERA P12	3.02-					
1.6, 1.8, 2.0, 1.9dCI, 2.2DI, 2.2dCI		AV AR	200 2515 00 200 2517 00	200 2515 50 200 2517 50	V 280 P 277.7	28 10
NISSAN TERRANO II	5.96-1-02	AV	200 2512 00		V 277	26
NISSAN X-TRAIL	7.01--	AV AR				
OPEL						
OPEL ASTRA F ASTRA F BREAK	9.91-2.98					
Opel Astra F 1.4 L, 1.4 Cabriolet, 1.6 Cabriolet		AV AV	430 1452 00 430 1461 00	430 1452 50 430 1461 50	P 236 V 256	12.7 24
Opel Astra F 1.6 L, 1.7 Diesel, Turbo Diesel	9.91-2.98	AV AV	430 1454 00 430 1461 00	430 1454 50 430 1461 50	V 236 V 256	20 24
Opel Astra F 1.8	9.91-2.98	AV	430 1466 00	430 1466 50	V 256	20
Opel Astra F 1.6 SI, 1.8 16V, 2.0 GSI 2.0 Cabriolet, 2.0 16V	9.91-2.98	AV AR	430 1461 00 430 1467 00	430 1461 50 430 1437 50	V 256 P 260	24 10
OPEL ASTRA G et Break	3.98-3.04					
Opel Astra G 1.2		AV	430 1481 00	430 1481 50	P 256	11
Opel Astra G 1.4, 1.6, 1.7 TD, 1.8, 2.0, 2.0 DI 16V, sans ABS	3.98--3.04	AV AR	430 1482 00 430 1484 00	430 1482 50 430 1484 50	V 256 P 240	24 10
Opel Astra G 1.8, 2.0, 2.0 DI 16V, 2.0Dti Coupé 1.8, 2.0T, 2.2 16v, 2.2DTI avec ABS		AV AR	430 1483 00 430 1485 00	430 1483 50 430 1485 50	V 280 P 264	25 10
Opel Astra G 2.0 OPC	3.00--3.04	AV AR	430 1488 00 430 1485 00	430 1488 50 430 1485 50	V 308 P 264	25 10

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
OPEL ASTRA H						
Opel Astra H 1.4, 1.6, 1.8, 2.0Turbo, 1.7CDTI	3.04--	AV	430 1483 00	430 1483 50	V 280	25
* 4 trous		AR	430 1484 00*	430 1484 50	P 240	10
** 5 trous		AR	430 1485 00**		P 264	10
OPEL CALIBRA	6.90-8.96					
Opel Calibra 2.0 L, 2.0 L 4x4	3.90-8.94	AV	430 1461 00	430 1461 50	V 256	24
		AR	430 1463 00	430 1463 50	P 261	10
4X4	3.90-8.96	AR	430 1464 00	430 1464 50	P 270	10
Opel Calibra 2.0 16V, 2.0 16V 4x4	6.90-6.97	AV	430 1461 00	430 1461 50	V 256	24
	6.90-8.93	AR	430 1464 00	430 1464 50	P 270	10
	9.93-6.97	AR	430 1467 00	430 1467 50	P 260	10
4x4	6.90-6.97	AR	430 1464 00	430 1464 50	P 270	10
Opel Calibra 2.0 16V 4x4 Turbo , 2.5V6	3.90-8.95	AV	430 1468 00	430 1468 50	V 284	24
		AR	430 1469 00	430 1469 50	P 270	10
OPEL CORSA						
Opel Corsa A GSI 1.6	2.83-8.91	AV	430 1454 00	430 1454 50	V 236	20
	9.91-2.93	AV	430 1454 00	430 1454 50	V 236	20
Opel Corsa B 1.0 12v, 1.2, 1.4, 1.5 TD, 1.7TD	4.93-8.00	AV	430 1452 00	430 1452 50	P 236	12.7
Opel Corsa B Si 1.4 16V	4.93-8.00	AV	430 1454 00	430 1454 50	V 236	20
Opel Corsa B GSI 16V 1.6	4.93-8.00	AV	430 1466 00	430 1466 50	V 256	20
Opel Corsa C 1.0, 1.2	9.00--	AV	430 1493 00	430 1493 50	P 240	11
Opel Corsa C 1.0, 1.2 avec ABS	9.00--	AV	430 1494 00	430 1494 50	V 240	20
Opel Corsa C 1.4, 1.7Di	9.00--	AV	430 1490 00	430 1490 50	V 260	24
Opel Corsa C 1.8 16v / SRI, GSI	9.00--	AV	430 1490 00	430 1490 50	V 260	24
		AR	430 1489 00		P 240	10
OPEL FRONTERA						
Opel Frontera A 2.0I, 2.4I, 2.3Td	09.91--8.98	AV	430 1472 00	430 1472 50	V 257.5	22
Opel Frontera A 2.0I, 2.2I, 2.5Tdi, 2.8Tdi sans ABS	09.91--8.98	AV	430 1478 00	430 1478 50	V 280	26
		AR	430 1480 00	430 1480 50	V 313	18
Opel Frontera A 2.0I, 2.2I, 2.5Tdi, 2.8Tdi avec ABS	09.91--8.98	AV	430 1477 00	430 1477 50	V 280	26
		AR	430 1480 00	430 1480 50	V 313	18
Opel Frontera B 2.2Dti, 3.2V6 sans ABS	9.98--	AV	430 1478 00	430 1478 50	V 280	26
		AR	430 1480 00	430 1480 50	V 313	18
Opel Frontera B 2.2Dti, 3.2V6 avec ABS	9.98--	AV	430 1477 00	430 1477 50	V 280	26
		AR	430 1480 00	430 1480 50	V 313	18
OPEL KADETT E	9.86-8.91					
Opel Kadett E 2.0		AV	430 1461 00	430 1461 50	V 256	24
		AV				
Opel Kadett E 1.8 GSI, 2.0 GSI	9.84-8.88	AV	430 1461 00	430 1461 50	V 256	24
2.0 GSI, 2.0GSI 16V	9.88--	AV	430 1461 00	430 1461 50	V 256	24
		AR	430 1463 00	430 1463 50	P 261	10

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
MONTEREY	8.91--					
3.1Td, 3.0Tdi, 3.5V6 sans ABS		AV	430 1478 00	430 1478 50	V 280	26
3.1Td, 3.0Tdi, 3.5V6 avec ABS		AV	430 1477 00	430 1477 50	V 280	26
		AR	430 1480 00	430 1480 50	P 313	18
OPEL SIGNUM	5.03--					
Opel Signum 1.8, 1.8 16V, 2.0 16V Turbo, 2.0Turbo		AV	430 1498 00	430 1498 50	V 285	25
2.2 16V, 2.2 direct, 1.9CDTI, 2.0DTI/DTI 16V, 2.2DTI / 16V,		AV	430 1495 00	430 1495 50	V 302	28
3.2 V6, 3.0CDTI, 3.0 V6 CDTI		AV	430 1499 00	430 1499 50	V 314	28
		AR	430 1497 00	430 1497 50	P 278	12
		AR	430 1496 00	430 1496 50	V 292	20
OPEL SPEEDSTER	9.00--					
		AV	430 1473 00	430 1473 50	V 288	25
		AR	430 1473 00	430 1473 50	V 288	25
OPEL TIGRA	1.94-					
Opel Tigra 1.4, 1.6 GSI		AV	430 1466 00	430 1466 50	V 256	20
Opel Tigra Twin-Top 1.4, 1.8	9.04--	AV				
		AR				
OPEL VECTRA						
Opel Vectra B 1.6, 1.6i 16V, 1.7 TD, 1.8i 16V	10.95-3.99	AV	430 1461 00	460 1461 50	V 256	24
2.0 DI 16V, 2.0 TDI 16V		AR	430 1474 00	430 1474 50	P 270	10
Opel Vectra B 1.6, 1.6i 16V, 1.7 TD, 1.8i 16V	3.99-4.02	AV	430 1461 00	460 1461 50	V 256	24
2.0 DI 16V, 2.0 TDI 16V		AR	430 1474 00	430 1474 50	P 270	10
Opel Vectra B 2.0, 2.0 16V, 2.5 V6	10.95-4.02	AV	430 1473 00	430 1473 50	V 288	25
		AR	430 1475 00	430 1475 50	P 286	10
Opel Vectra C 1.8, 1.8 16V, 2.0 16V Turbo, 2.0Turbo	4.02--	AV	430 1498 00	430 1498 50	V 285	25
2.2 16V, 2.2 direct, 1.9CDTI, 2.0DTI/DTI 16V, 2.2DTI / 16V,		AV	430 1495 00	430 1495 50	V 302	28
3.2 V6, 3.0CDTI, 3.0 V6 CDTI		AV	430 1499 00	430 1499 50	V 314	28
		AR	430 1497 00	430 1497 50	P 278	12
		AR	430 1496 00	430 1496 50	V 292	20
OPEL ZAFIRA	5.99--					
Opel Zafira 1.6, 2.0D, 1.8, 2.0, 2.0Di		AV	430 1483 00	430 1483 50	V 280	25
		AR	430 1485 00	430 1485 50	P 264	10
PEUGEOT						
PEUGEOT 106	9.91-					
Peugeot 106 Phase 1 et 2 1.0 XN / XR		AV	180 2019 00	180 2019 50	P 238	8
Peugeot 106 Phase 1 1.1 XR, XT Phase 1	9.91-8.95	AV	180 2031 00	180 2031 50	P 247	10
Peugeot 106 Phase 2 1.1 XR, XT Phase 2	9.95--	AV	440 2031 00	440 2031 50	P 247	10
Peugeot 106 Phase 1 et 2 1.4 XT, 1.4 XND-XRD	9.91--	AV	440 2031 00	440 2031 50	P 247	10
1.5 Diesel XRD, 1.6 XS		AV	440 2031 00	440 2031 50	P 247	10
Peugeot 106 Phase 1 1.4 XSI, 1.6 XSI	9.91-8.95	AV	440 2034 00	440 2034 50	V 247	20.5
Peugeot 106 Phase 2 1.6 XSI, Rallye 16, 1.6 S16	9.95--	AV	440 2034 00	440 2034 50	V 247	20.5
		AR				

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
PEUGEOT 205	7.83-7.96					
Peugeot 205 1.0, 1.1, 1.4, 1.6, 1.6 GT		AV	440 2031 00	440 2031 50	P 247	10
1.8 D, 1.9 D		AV	440 2031 00	440 2031 50	P 247	10
Peugeot 205 1.3 Rallye, 1.6 GTI, 1.6 CTI,	7.83-7.96	AV	440 2033 00	440 2033 50	V 247	20.5
		AV	440 2033 00	440 2033 50	V 247	20.5
Peugeot 205 1.9 GTI, 1.9 CTI	3.86--	AV	440 2034 00	440 2034 50	V 247	20.5
		AV	440 2034 00	440 2034 50	V 247	20.5
		AV	440 2034 00	440 2034 50	V 247	20.5
		AR	440 2035 00	440 2035 50	P 247	10
Peugeot 205 205 D Turbo (2 montages possibles)	3.86--	AV	440 2031 00	440 2031 50	P 247	10
		AV	440 2033 00	440 2033 50	V 247	20.5
PEUGEOT 206						
Peugeot 206 1.1 sans ABS	8.98-	AV	440 2031 00	440 2031 50	P 247	10
		AV	440 2031 00	440 2031 50	P 247	10
Peugeot 206 1.1 avec ABS, 1.4, 1.6I, 1.9D	8.98-	AV	180 3014 00	180 3014 50	P 247	13
Disque plein		AV	180 3014 00	180 3014 50	P 247	13
Peugeot 206 1.4I, 1.6I, 1.9D	8.98-	AV	440 2034 00	440 2034 50	V 247	20.5
Disque ventilé		AV	440 2034 00	440 2034 50	V 247	20,5
Peugeot 206 1.4HDI	8.98--	AV	440 2034 00	440 2034 50	V 247	20.5
Peugeot 206 1.6 16V, 2.0 S16, CC 16v, 2.0Hdi	8.98-1.02	AV	180 2018 00	180 2018 50	V 266	20.5
		AV	180 2018 00	180 2018 50	V 266	20.5
		AV	180 2018 00	180 2018 50	V 266	20.5
		AR				
Peugeot 206 2.0 S16, 2.0 XS 16v, CC 16v, 2.0Hdi	01.02--	AV	440 3105 00	440 3105 50	V 266	22
		AR				
Peugeot 206 RC	1.99--	AV	440 3106 00	440 3106 50	V 283	26
		AR				
Peugeot 206 1.6XS Coupe		AV				
Peugeot 206 1.6 Super 1600, Kit Car	1.02--	AV				
Peugeot 206 2.0 Coupe circuit Rallye	1.02	AV				
		AR				
PEUGEOT 306	3.93-3.97					
Peugeot 306 1.1 XN / XR		AV	440 2031 00	440 2031 50	P 247	10
1.4 XN / XR sans ABS		AV	440 2031 00	440 2031 50	P 247	10
Peugeot 306 1.4 XN / XR avec ABS	2.93--8.00	AV	440 2034 00	440 2034 50	V 247	20.5
1.6 XR / XT, 1.8 XT / Cabriolet,	2.97--8.00	AV	440 2034 00	440 2034 50	V 247	20.5
1.9 D, 1.9 TD	2.93--4.99	AR				
Peugeot 306 1.8 16v,	5.93--	AV	180 2018 00	180 2018 50	V 266	20.5
		AR				
Peugeot 306 2.0 ST / S16, XSI, Cabriolet	3.93-- 2.01	AV	180 2018 00	180 2018 50	V 266	20.5
		AV	180 2018 00	180 2018 50	V 266	20.5
		AR				

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Peugeot 306 S16 Boite 6	9.96--2.01	AV AV AR	180 3003 00 180 3003 00	180 3003 50 180 3003 50	V 283 V 283	22 22
Peugeot 306 2.0 Hdi	--8.00	AV AV AR	180 2018 00 180 2018 00	180 2018 50 180 2018 50	V 266 V 266	20.5 20.5
PEUGEOT 307						
Peugeot 307 1.4, 1.4 16V 1.4Hdi, sans ESP	3.01--	AV AR	440 3105 00 440 3107 00	440 3105 50 440 3107 50	V 266 P 247	22 9
Peugeot 307 1.4, 1.4 16V 1.4Hdi, avec ESP	3.01--	AV AR	440 3105 00 440 3107 00	440 3105 50 440 3107 50	V 266 P 247	22 9
Peugeot 307 1.6 16V, 2.016V, 2.0 Hdi sans ESP	3.01	AV AR	440 3106 00 440 3107 00	440 3107 50	V 283 P 247	26 9
Peugeot 307 1.6 16V, 2.016V, 2.0 Hdi avec ESP	3.01	AV AR	440 3106 00 440 3107 00	440 3106 50 440 3107 50	V 283 P 247	26 9
PEUGEOT 309	3.86-6.93					
309 1.1, 1.3, 1.4, 1.6, 1.9, 1.8 SXTD, 1.8 Turbo Diesel, 1.9d		AV AV	440 2031 00	440 2031 50	P 247	10
Peugeot 309 1.6 GT, 1.9 GT, 1.9 GTI, 1.9 GTI 16V		AV AR	440 2034 00 440 2035 00	440 2034 50 440 2035 50	V 247 P 247	20.5 10
PEUGEOT 405						
Peugeot 405 1.6, 1.9, 1.8 Diesel, 1.9 Diesel	9.87-8.95	AV AV	440 2032 00	440 2032 50	P 266	10
Peugeot 405 1.9 SRI / MI 16 / MI 16 4x4 1.9 Turbo Diesel, 2.0 SRI	9.87--8.95	AV AR	180 2018 00 440 3103 00	180 2018 50 440 3103 50	V 266 p 247	20.5 10
PEUGEOT 406	9.95-					
Peugeot 406 1.6l, 1.8l 16V, 1.9 TD 90cv		AV AR	440 3104 00	440 3104 50	V 260	24
Peugeot 406 2.0l 16V, 2.1 TD, 3.0IV6 4 portes, HDI 110cv Coupé 2.0	9.95--	AV AR	180 3012 00	180 3012 50	V 283	26
Peugeot 406 Coupé V6 3.0	1.97--	AV AR				
PEUGEOT 607	5.00--					
Peugeot 607 2.0, 2.2, 2.2Hdi		AV AR	440 3108 00 440 3110 00	440 3108 50 440 3110 50	V 283 P 290	26 10
Peugeot 607 3.0 V6		AV AR	440 3109 00 440 3110 00	440 3109 50 440 3110 50	V 309 P 290	32 10
PORSCHE						
PORSCHE BOXSTER	10.96--					
Porsche Boxter 986 2.5 24V, 2.7 24V		AV AR	460 1523 00 460 1524 00	460 1523 50 460 1524 50	V 298 V 292	24 20

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Porsche Boxter 986S S 3.2	10.99--	AVG AVD AR	460 1525 00 460 1526 00	460 1525 50 4601526 50	V 318 V 318	28 28
PORSCHE 356 SC Porsche 356C 1.6 C / SC, 911 / 911T	9.63-9.94	AV AR	460 1010 00	460 1010 50	P 274.5	10.5
PORSCHE 911 (typ 911) Porsche 911, 911T	10.64-7.69	AV AR	460 1005 00	460 1005 50	P 282	12.7
Porsche 911E, 911T 2.1	9.69-7.73	AV	460 1017 00	460 1017 50	V 282	20.5
911S 2.4	9.69-7.74	AV	460 1017 00	460 1017 50	V 282	20.5
911 Sportomatic	9.72-7.73	AR	460 1009 00	460 1009 50	V 290	20
911 Carrera 2.7	9.72-7.77	AR	460 1009 00	460 1009 50	V 290	20
Porsche 911S 2.7 / Targa	9.74-7.77	AV	460 1017 00	460 1017 50	V 282	20.5
911SC 3.0 / Targa	9.77-7.83	AV	460 1017 00	460 1017 50	V 282	20.5
911 Carrera 3.0 / Targa	8.74-7.77	AR	460 1009 00	460 1009 50	V 290	20
911 Turbo / Targa	9.74-8.81	AR	460 1009 00	460 1009 50	V 290	20
Porsche 911 Carrera 3.2	84-7.89	AV AR	460 1504 00 460 1505 00	460 1504 50 460 1505 50	V 282 V 290	24 24
Porsche 911 3.3 Targa, 3.3 SC Coupé, 3.3 Cabriolet	9.81-12.88	AVG AVD ARG ARD	460 1507 00 460 1508 00 460 1509 00 460 1510 00	460 1507 50 460 1508 50 460 1509 50 460 1510 50	V 304 V 304 V 309 V 309	32 32 28 28
PORSCHE 911 (typ 964) Porsche 964 911 Carrera 2 3.6 jusqu'au châssis L à partir du châssis M	9.89-8.93 -6.91 7.91-8.93	AV AR AR	460 1519 00 460 1516 00 460 1516 00	460 1519 50 460 1516 50 460 1516 50	V 298 V 299 V 299	28 24 24
Porsche 964 911 Carrera 4	4.89-7.94	AV AR	460 1519 00 460 1516 00	460 1519 50 460 1516 50	V 298 V 299	28 24
Porsche 964 911 Carrera RS	7.91-12.93	AV AR	460 1519 00 460 1516 00	460 1519 50 460 1516 50	V 298 V 299	28 24
Porsche 964 911 Turbo, 911 Turbo S, 911 3.6	8.90--6.91 7.91 -95	AV AV AR				
PORSCHE 911 (993) Porsche 993 911 Carrera 2, Carrera 4, 911 Carrera	9.93-4.98	AVG AVD AR	460 1520 00 460 1521 00 460 1522 00	460 1520 50 460 1521 50 460 1522 50	V 304 V 304 v 299	32 32 24
Porsche 993 911 Carrera RS 911 3.6 Turbo, 911 GT 2	9.93--	AV AR				
PORSCHE 911 (typ 996) Porsche 996 Carrera 2, Carrera 4, Cabriolet	9.97--	AVG AVD AR	460 1525 00 460 1526 00 460 1527 00	460 1525 50 460 1526 50 460 1527 50	V 318 V 318 V 299	28 28 24

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Porsche 996 Carrera GT2	4.01--	AV AR				
Porsche 996 GT3	3.99---	AV AR				
Porsche 996 Carrera GT3 Cup	02---	AV AR				
PORSCHE 911 (typ 997) Porsche 997 3.6Carrera	04--	AV AR				
Porsche 997 3.8 Carrera	04--	AV AR				
PORSCHE 912 Porsche 912 1.6	9.65-7.69	AV AR	460 1005 00	460 1005 50	P 282	12.7
PORSCHE 924 Porsche 924 924 2.0 125cv	1.76-8.85	AV	460 1011 00	460 1011 50	P 257	13
Porsche 924 Turbo 2.0 170cv 924 S 16V	11.78-6.82 86--88	AV AR	460 1017 00 460 1511 00	460 1017 50 460 1511 50	V 282 V 289	20.5 20
PORSCHE 928 Porsche 928	8.77-12.79	AV AR	460 1012 00 460 1511 00	460 1012 50 460 1511 50	V 282 V 289	20 20
Porsche 928 S	01.80-8.85	AVG AVD AR	460 1502 00 460 1503 00 460 1511 00	460 1502 50 460 1503 50 460 1511 50	V 282 V 282 V 289	32 20
Porsche 928 S	09.86-8.86	AVG AVD AR	460 1502 00 460 1503 00 460 1511 00	460 1502 50 460 1503 50 460 1511 50	V 282 V 282 V 289	32 32 20
Porsche 928 S4 5.0, 928 GT	9.86-8.92	AVG AVD AR	460 1513 00 460 1514 00 460 1515 00	460 1513 50 460 1514 50 460 1515 50	V 304 V 304 V 299	32 32 24
Porsche 928 GTS	91-11.95	AV AR	460 1515 00	460 1515 00	v299	24
PORSCHE 944 Porsche 944 2.5	9.81-7.88 9.81-8.87 9.87-9.91	AV AR AR	460 1017 00 460 1511 00 460 1517 00	460 1017 50 460 1511 50 460 1517 50	V 282 V 289 V 289	20.5 20 20
Porsche 944 2.7	9.88-9.91 9.81-8.87 9.87-9.91	AV AR AR	460 1518 00 460 1511 00 460 1517 00	460 1518 50 460 1511 50 460 1517 50	V 282.5 V 289 V 289	20.5 20 20
Porsche 944 S, 944 16V, 944 2.5 16V	9.86-7.89 8.86-8.87 9.87-8.89	AV AR AR	460 1518 00 460 1511 00 460 1517 00	460 1518 50 460 1511 50 460 1517 50	V 282.5 V 289 V 289	20.5 20 20
Porsche 944 S2 3.0 944 S2 3.0 Cabriolet	8.89-9.91	AV AR	460 1512 00 460 1516 00	460 1512 50 460 1516 50	V 298 V 299	28 24

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Porsche 944/ 951 Turbo 2.5	2.85-8.86	AV AR	460 1506 00 460 1515 00	460 1506 50 460 1515 50	V 298 V 299	28 24
Porsche 944 /951 Turbo 2.5	9.86-7.89	AV AR	460 1512 00 460 1516 00	460 1512 50 460 1516 50	V 298 V 299	28 24
Porsche 944/ 951 Turbo 2.5	8.89-9.91	AVG AVD AR	460 1513 00 460 1514 00 460 1516 00	460 1513 50 460 1514 50 460 1516 50	V 304 V 304 V 299	32 32 24
PORSCHE 959	85-91	AV AR				
PORSCHE 968 Porsche 968 3.0 Cabriolet, Coupe	10.91-10.95	AV AR	460 1512 00 460 1516 00	460 1512 50 460 1516 50	V 298 V 299	28 24
Porsche 968 3.0 S	10.91-10.95	AV AR	460 1512 00 460 1516 00	460 1512 50 460 1516 50	V 298 V 299	28 24
968 3.0 Turbo S	10.91-10.95	AV AR	460 1512 00 460 1516 00	460 1512 50 460 1516 50	V 298 V 299	28 24
PORSCHE CAYENNE Porsche Cayenne 3.2, S, Turbo Roue 17" * Cayenne Turbo uniquement		AVG AVD AR	600 3224 00 600 3225 00 600 3229 00	600 3224 50 600 3225 50 600 3229 50	V 330 V 330 V 330	32 32 28
Porsche Cayenne 3.2, S, Turbo Roue 18" * Cayenne Turbo uniquement		AVG AVD AR	600 3226 00 600 3227 00 600 3229 00	600 3226 50 6000 3227 50 600 3229 50	V 350 V 350 V 300	34 34 28
RENAULT						
RENAULT 5 Turbo I et II		AV				
RENAULT 5 122B Renault R5 Alpine R5 Alpine Turbo	3.76-6.84	AV AR	470 1070 00 470 1070 00	470 1070 50 470 1070 50	P 228 P 228	10.2 10.2
RENAULT 5 B/C40 Renault R5 GT Turbo, Phase I, Phase II Super 5 1.7 (C40K, C409)	9.84-6.96	AV AV AR	470 2403 00 470 2403 00 470 2408 00	470 2403 50 470 2403 50 470 2408 50	V 238 V 238 P 238	20 20 8
RENAULT 9 / 11 Renault R9 1.4 Turbo (L425) R11 1.4 Turbo (BC375)	11.81-11.89	AV AV AR	470 2403 00 470 2403 00 470 2408 00	470 2403 50 470 2403 50 470 2408 50	V 238 V 238 P 238	20 20 8
RENAULT 19 Renault R19 1.4 GTS, TS, TSE, RN, RL, Chamade R19 1.7 GTS, TSE, TXE, GTX, Chamade (53E) R19 Diesel , Turbo Diesel (53, 53J, 53K)	11.88-11.95	AV AV AR	470 1079 00 470 1079 00	470 1079 50 470 1079 50	P 238 P 238	12 12
Renault R19 1.7 (53), R19 1.8, 1.8i	11.88-11.95	AV	470 2403 00	470 2403 50	V 238	20

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
R19 1.9 DT (53T) R19 Cabriolet 1.7, 1.8	9.91--	AV AR	470 2403 00	470 2403 50	V 238	20
Renault R19 1.8 16V R19 Cabriolet 1.8 16V	11.88-11.96 9.91--	AV AV AR	470 2409 00 470 2409 00	470 2409 50 470 2409 50	V 259 V 259	20.6 20.6
RENAULT 21 L48 Renault R21 2.0 Turbo, Turbo 4x4	3.86-3.94	AV AR AR				
RENAULT CLIO I Phase 1 Renault Clio I 1.1 ts modèles	6.90-7.98	AV	470 2402 00	470 2402 50	P 238	8
Renault Clio I 1.2, 1.4, 1.9D	6.90-7.98	AV	470 1079 00	470 1079 50	P 238	12
Renault Clio I 1.7, 1.8, RT, RSI sans ABS	6.90-7.98	AV AR	470 2403 00	470 2403 50	V 238	20
Renault Clio I 1.8, 1.8RSI avec ABS 1.8 16V, 2.0 16V Williams	6.90-7.98	AV AV	470 2409 00	470 2409 50	V 259	20
RENAULT CLIO II Phase 2 Renault Clio II 1.2, 1.4, 1.9D sans ABS	8.98--	AV	470 1079 00	470 1079 50	P 238	12
Renault Clio II 1.2, 1.2 16V, 1.4, avec ABS	9.98--	AV	470 2403 00	470 2403 50	V 238	20
Renault Clio II 1.4 avec ABS et clim auto, 1.5 Dci	9.98--	AV	470 2409 00	470 2409 50	V 258.5	20.7
Renault Clio II 1.4 16V, 1.6 sans ABS	9.98--	AV	470 2403 00	470 2403 50	V238	20
Renault Clio II 1.4 16V, 1.6 avec ABS, 1.6 16V, 1.9dTi	9.98--	AV	470 2409 00	470 2409 50	V 258.5	20.7
Renault Clio II 1.9D sans ABS	9.98--	AV	470 1079 00	470 1079 50	P 238	12
Renault Clio II 1.9D avec ABS	9.98--	AV	470 2403 00	470 2403 50	V 238	20
Renault Clio II 1.9D avec ABS et clim auto	9.98--	AV	470 2409 00	470 2409 50	V 258.5	20.7
Renault Clio II RS 2.0 16V	9.98	AV AR				
Renault Clio II 3.0V6	00-02	AV AR				
Renault Clio II 3.0V6	02--	AV				
RENAULT LAGUNA I Renault Laguna I 1.8, 2.0, Diesel 2.2	4.94-6.98	AV AR AR	470 2410 00	470 2410 50	V 262	22
Renault Laguna I 2.2 Turbo Diesel, DTI, 2.0 16V, 3.0 V6	4.94--3.01	AV AR	470 2411 00	470 2411 50	V 280	24
Renault Laguna I 1.6, 1.8, 1.9Dci, 1.9Dti	7.98--3.01	AV	470 2412 00	470 2412 50	V 280	24

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
RENAULT LAGUNA II	3.01--					
Renault Laguna II roue 15" 1.6 16V, 1.8 16V, 2.016V 2.016V Turbo, 1.9DCI, 2.2dci		AV AR	470 2413 00 470 2415 00	470 2413 50 470 2415 50	V 280 P 274	24 11
Renault Laguna II roue 16" et 17" 1.6 16V, 1.8 16V, 2.016V 2.016V Turbo, 1.9DCI, 2.2dci	3.01--	AV AR	470 2414 00 470 2415 00	470 2414 50 470 2411 50	V 300 P 274	26 11
Renault Laguna II 3.0V6	3.01	AV AR	470 2415 00	470 2415 50	p 274	11
RENAULT MEGANE I	10.95-2.99					
Renault Mégane I 1.4, 1.4 Classic / Scénic 1.9D, 1.9D Classic		AV	470 1079 00	470 1079 50	P 238	12
Renault Mégane I 1.6 I, E, Classic / Coach / Scénic, 1.6 Cabrio	10.95--11.02	AV AR	470 2403 00	470 2403 50	V 238	20
Renault Mégane I 1.9 TD, DTI 2.0 I, 2.0 I Coach	10.95--11.02	AV	470 2409 00	470 2409 50	V 259	20
Renault Mégane I 1.9 TD,DTI Classic 2.0 I Classic Scenic 1.4, 1.6	10.95--11.02	AV AV	470 2409 00 470 2409 00	470 2409 50 470 2409 50	V 259 V 259	20 20
Renault Mégane I 2.0 16V, 2.0 16V Coach, Cabrio Scenic 2.0 et DTI	10.95--11.02	AV AV AR	470 2410 00 470 2410 00	470 2410 50 470 2410 50	V 262 V 262	22 22
Renault Mégane I Scenic I 1.4, 1.6, 1.8, 2.0, 1.9Dci	01.01--	AV AR	470 2412 00	470 2412 50	V 280	24
RENAULT MEGANE II	11.02					
Renault Mégane II 1.4, 1.4 16V		AV AV AR	470 2416 00 470 2416 00 470 2417 00		V259.6 V259.6 P 240	22 22 8
Renault Mégane II 1.6 16V, 2.0, 2.0 16V, 1.5dCI, 1.9dCI	11.02--	AV AV AR	470 2412 00 470 2412 00 470 2417 00	470 2412 50 470 2412 50 470 2417 50	V 280 V 280 P 240	24 24 8
Renault Mégane II Coupé / Cabrio 1.6 16V, 1.9dCI, 2.0 16V	9.03--	AV AV AR	470 2412 00 470 2412 00 470 2417 00	470 2412 50 470 2412 50 470 2417 50	V 280 V 280 P 240	24 24 8
Renault Mégane II Scénic II 1.4, 1.5dCI, 1.6, 1.9dCI, 2.0	6.03--	AV AV AR	470 2412 00 470 2412 00 470 2417 00	470 2412 50 470 2412 50 470 2417 50	V 280 V 280 P 240	24 24 8
RENAULT SPIDER	2.96-					
Renault Spider 2.0, 2.0 16V		AV AV AR				
RENAULT TWINGO	3.93-					
Renault Twingo		AV	470 2402 00	470 2402 50	P 238	8

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Twingo Automatique		AV	470 1079 00	470 1079 50	P 238	12
ROVER						
ROVER MINI	6.59					
Rover Austin Mini 850, 1000, 1275, 1300, roue 12 pouces		AV				
Rover Austin Cooper S, ou Mini roues 10 pouces	63--71	AV				
ROVER MGF	95-02					
Rover MGF 1.8 16v, 1.8 16v VVC		AV				
Rover MGF Cabriolet 1.8		AV				
ROVER Série 25 et 45						
Rover Série 25 et 451.4, 1.6, 1.8, 2.0TDI sans ABS	1.99--	AV				
1.4, 1.6, 1.8, 2.0TDI avec ABS		AR				
ROVER Série 75	9.99--					
Rover Série 75 1.8I, 2.0I, 2.5V6, 2.0Ct		AV	450 1536 00	450 1536 50	V 284	22
		AR	450 1537 00	450 1537 50	P 280	10
SAAB						
SAAB 900	9.93-8.96					
Saab 900 tous modèles		AV	430 1468 00	430 1468 50	V 284	24
		AR	430 1476 00	430 1476 50	P 260	10
Saab 900 tous modèles	9.96-2.98	AV	430 1468 00	430 1468 50	V 284	24
		AR	430 1476 00	430 1476 50	P 260	10
SAAB 9000	9.84-12.98					
Saab 9000I	9.84-8.89	AV	480 1542 00	480 1542 50	V 280	22.5
		AR	480 1543 00	480 1543 50	P 258	9
Saab 9000 Turbo, 9000I 16V	9.86-8.89	AV	480 1544 00	480 1544 50	V 280	23.5
		AR	480 1543 00	480 1543 50	P 258	9
Saab 9000I 16V ABS / Turbo 16V, 2.0 Turbo	9.89-6.98	AV	480 1545 00	480 1545 50	V 280	25
9000 2.3 16V Turbo, 3.0 Turbo		AR	480 1543 00	480 1543 50	P 258	9
SAAB 9.3						
Saab 9.3 I 2.0 Turbo, 2.3 Turbo, 3.0 Turbo	9.97--8.03	AV	430 1473 00	430 1473 50	V 288	25
		AR	430 1475 00	430 1475 50	P 286	10
Saab 9.3 II 2.0T, 2.2TID	9.02--	AV				
		AV				
		AR				
SAAB 9.5						
Saab 9.5 2.0T, 2.3T Turbo, 2.2TID, 3.0TID, 2.0V6T	9.97--	AV	430 1473 00	430 1473 50	V 288	25
* Jusque châssis X3025751		AR	430 1475 00*	430 1475 50*	P 286	10
** à partir châssis X302752		AR	480 1546 00**	480 1546 50**	P 286	10
SEAT						
SEAT ALHAMBRA	3.95-3.00					
Seat Alhambra I		AV	600 3209 00	600 3209 50	V 288	25
		AR	600 3210 00		P 268	10

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Seat Alhambra II 1.8T, 2.0, 1.9Tdi	4.00--	AV AR	250 1346 00 600 3210 00	250 1346 50	V 300 P 268	26 10
Seat Alhambra II 1.9Tdi 4 motion 2.8VR6, 2.8VR6 4 motion	4.00--	AV AR	250 1347 00 600 3216 00	250 1347 50	V 313 P 294	26 13.5
SEAT ALTEA Seat Altea 1.6, 1.9TDI, 2.0TDI, 2.0FSI (PR-1ZE)	6.04--	AV AR				
Seat Altea 1.6, 1.9TDI, 2.0TDI, 2.0FSI (PR-1ZF)	6;04--	AV AR				
SEAT AROSA Seat Aroza 1.0	4.97-	AV	600 3204 00	600 3204 50	P 239	10
Seat Aroza 1.4, 1.7 SDI	4.97-	AV	600 3205 00	600 3205 50	V 239	18
Seat Aroza 1.4 16v, 1.4Tdi	5.99--	AV AR	600 1597 00 600 3217 00	600 1597 50 600 3217 50	V 256 P 232	20 9
SEAT CORDOBA Seat Cordoba 1.4 / Break	1.93-7.95	AV	600 1050 00	600 1050 50	P 239	10
Seat Cordoba 1.4 / Break	8.95--5.99	AV	600 1050 00	600 1050 50	P 239	10
Seat Cordoba 1.6, 1.8, 1.9D, 1.9TD / Break	3.94---4.99	AV	600 1158 00	600 1158 50	P 239	12
Seat Cordoba 1.6, 1.8, 1.9D, 1.9TD / Break	3.94---4.99	AV	600 1594 00	600 1594 50	V 239	20
Seat Cordoba 1.8 16V, 2.0I, 1.9 TDI 90cv	3.94--4.99	AV AR	600 1597 00 600 1599 00	600 1597 50 600 1599 50	V 256 P 226	20 10
Seat Cordoba TDI 110cv avec ABS, 2.0 16v 1.8 T 20V	97--4.99	AV AR	600 1601 00 600 1599 00	600 1601 50 600 1599 50	V 280 P 226	22 10
Seat Cordoba 6K2 1.0, 1.4, 1.9Sdi (PR-1LG)	5.99--9.02	AV AR	600 1594 00 600 3217 00	600 1594 50	V 239 P 232	20 9
Seat Cordoba 6K2 1.4 16v, 1.6, 1.9Tdi (PR-1ZK)	5.99--8.02	AV AR	600 1597 00 600 3217 00	600 1597 50 600 3217 50	V 256 P 232	20 9
Seat Cordoba 6K2 1.4 16v, 1.6, 1.9Tdi (PR-1LQ, 1ZF)	8.02--10.02	AV AR	600 1597 00 600 3217 00	600 1597 50 600 3217 50	V 256 P 232	20 9
Seat Cordoba 6K2 1.8T 20v Cupra (PR-1LV, 1LW)	5.99--9.02	AV AR	600 1601 00 600 3217 00	600 1601 50 600 3217 50	V 280 P 232	22 9
Seat Cordoba 6L2 1.2, 1.4 16V, 1.4TDI, 1.6 (PR-1LQ, 1ZF)	10.02--	AV AR	100 1233 00 100 1236 00	100 1233 50 100 1236 50	V 256 P 232	22 9
Seat Cordoba 6L2 1.9SDI, 1.9TDI (PR-1LN, 1ZH)	10.02--	AV AR	100 1247 00 100 1236 00	100 1247 50 100 1236 50	V 288 P 232	25 9
SEAT IBIZA II Seat Ibiza II 6K1 1.1, 1.3	6.93--4.99	AV	600 1050 00	600 1050 50	P 239	10
Seat Ibiza II 6K1 1.6, 1.8, 1.9D	6.93-4.99	AV	600 1594 00	600 1594 50	V 239	20

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Seat Ibiza II 6K1 1.6, 1.8, 1.9D	6.93-4.99	AV	600 1158 00	600 1158 50	P 239	12
Seat Ibiza II 6K1 1.8 GTI 16V, 2.0 GT, 1.9TDI 90cv	6.93-4.99	AV AR	600 1597 00 600 1599 00	600 1597 50 600 1599 50	V 256 P 226	20 10
Seat Ibiza II 6K1 TDI 110cv avec ABS 1.8T Cupra, 2.0 16V 150cv	97--4.99	AV AR	600 1601 00 600 1599 00	600 1601 50 600 1599 50	V 280 P 226	22 10
Seat Ibiza III 6K1 1.0, 1.4, 1.9Sdi		AV AR	600 1594 00 600 3217 00	600 1594 50 600 3217 50	V 239 P 232	20 9
Seat Ibiza III 6K1 1.4 16v, 1.6, 1.9Tdi	5.99--2.02	AV AR	600 1597 00 600 3217 00	600 1597 50 600 3217 50	V 256 P 232	20 9
Seat Ibiza III 6K1 1.8T 20v Cupra	5.99--2.02	AV AR	600 1601 00 600 3217 00	600 1601 50 600 3217 50	V 280 P 232	22 9
Seat Ibiza IV 6L1 1.2, 1.4 16V, 1.4TDI, 1.6 (PR-1LQ, 1ZF)	10.02--	AV AR	100 1233 00 100 1236 00	100 1233 50 100 1236 50	V 256 P 232	22 9
Seat Ibiza IV 6L1 1.9SDI, 1.9TDI (PR-1LN, 1ZH)	10.02--	AV AR	100 1247 00 100 1236 00	100 1247 50 100 1236 50	V 288 P 232	25 9
SEAT INCA						
Seat Inca 1.4, 1.6, 1.9 SDI disque plein	11.95--3.96	AV	600 1602 00	600 1602 50	P 256	13
Seat Inca 1.4, 1.6, 1.9 SDI disque ventilé	4.96--	AV	600 1597 00	600 1597 50	V 256	20
SEAT LEON	10.99--					
Seat Leon 1M1 1.4, 1.6, 1.9 SDI		AV AR	100 1233 00 100 1236 00	100 1233 50 100 1236 50	V 256 P 232	22 9
Seat Leon 1M1 1.8, 1.9 TDI 110 cv	10.99--	AV AR	100 1234 00 100 1236 00	100 1234 50 100 1236 50	V 280 P 232	22 9
Seat Leon 1M1 1.8T 20V, 1.9TDI 150cv Top Sport	10.99--	AV AR	100 1235 00 100 1236 00	100 1235 50 100 1236 50	V 288 P 232	25 9
Seat Leon 1M1 1.8 Cupra R, 2.8V6 Cupra	10.99--	AV AR	100 1240 00 100 1236 00	100 1240 50 100 1236 50	V 312 P 232	25 9
SEAT TOLEDO I						
Seat Toledo I 1.6, 1.8, 1.9 TD sans ABS disque plein	2.91-4.99	AV	600 1158 00	600 1158 50	P 239	12
Seat Toledo I 1.6, 1.8, 1.9 TD sans ABS disque ventilé	2.91-4.99	AV	600 1597 00	600 1597 50	v 256	20
Seat Toledo I 1.8, 1.9 TD, 1.8 GT, 2.0 GT, avec ABS 1.6, 1.9 TDI	2.91-4.99	AV AR	600 1597 00 600 1599 00	600 1597 50 600 1599 50	V 256 P 226	20 10
Seat Toledo II 1M2 1.4, 1.6, 1.9 SDI	4.99--	AV AR	100 1233 00 100 1236 00	100 1233 50 100 1236 50	V 256 P 232	22 9
Seat Toledo II 1M2 1.8, 1.9 TDI 90cv et 110cv	4.99--	AV AR	100 1234 00 100 1236 00	100 1234 50 100 1236 50	V 280 P 232	22 9
Seat Toledo II 1M2 1.9 TDI 150cv	1.01--	AV AR	100 1247 00 100 1236 00	100 1247 50 100 1236 50	V 288 P 232	25 9

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Seat Toledo II 1M2 1.8T 20V inclus Sport et Cupra 1.9TDI 150cv, 2.3 V5	4.99--	AV AR	100 1247 00 100 1236 00	100 1247 50 100 1236 50	V 288 P 232	25 9
Seat Toledo III	1.04--	AV				
SKODA						
SKODA FABIA Skoda Fabia 1.2, 1.4 (PR-1LM, 9U0, 9U1)	1.00	AV	600 3218 00	600 3218 50	V 239	18
Skoda Fabia 1.4 16V, 1.4TDI, 1.6 (PR-1LQ, 1LR)	1.00	AV AR	100 1233 00 100 1236 00	100 1233 50 100 1236 50	V 256 P 232	22 9
Skoda Fabia 1.9SDI, 1.9TDI (PR-1LN, 1ZH)	1.00--	AV AR	100 1247 00 100 1236 00	100 1247 50 100 1236 50	V 288 P 232	25 9
Skoda Fabia RS	1.00	AV AR	100 1247 00* 100 1236 00	100 1247 50 100 1236 50	V 288 P 232	25 9
SKODA FELICIA Skoda Felicia 1.3, 1.6, 1.9 D, 1.9 SDI	9.95-	AV	500 2304 00	500 2304 50	P 236	13
SKODA OCTAVIA Skoda Octavia 1U2 1.6, 1.9 SDI, 1.9Tdi 90cv	9.96-	AV AR	100 1233 00 100 1236 00	100 1233 50 100 1236 50	V 256 P 232	22 9
Skoda Octavia 1U2 1.8, 2.0, 1.9Tdi 110cv	9.96-	AV AR	100 1234 00 100 1236 00	100 1234 50 100 1236 50	V 280 P 232	22 9
Skoda Octavia 1U2 1.8 T 20V, 1.9Tdi 130cv	9.96-	AV AR	100 1247 00 100 1236 00	100 1247 50 100 1236 50	V 288 P 232	25 9
Skoda Octavia 1U2 RS 1.8T 180cv	6.00--	AV AR	100 1240 00 100 1241 00	100 1240 50 100 1241 50	V 312 V 256	25 22
Skoda Octavia 1.4, 1.6 (PR-1ZF, 1ZM)	6.04--	AV AR				
Skoda Octavia 1.6FSI, 1.9TDI, 2.0TDI (PR-1ZE)	6.04--	AV AR				
SKODA SUPERB Skoda Superb 1.8T, 2.0, 1.9Tdi 130cv	3.02--	AV AR	100 1216 00 100 1217 00	100 1216 50 100 1217 50	V 288 P 245	25 10
Skoda Superb 2.5Tdi, 2.8VR6	3.02--	AV AR	100 1242 00 100 1217 00	100 1242 50 100 1217 50	V 312 P 245	25 10
SUBARU						
SUBARU FORESTER Subaru Forester 2.0, 2.0S Turbo	8.97--9.02	AV AR	530 2457 00	530 2457 50	V 277	24
Subaru Forester 2.0, 2.0S Turbo	9.02--	AV				
SUBARU IMPREZA	2.93-12.96					

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Subaru Impreza 2.0 Turbo, 2.2		AV AR	530 2457 00	530 2457 50	V 277	24
Subaru Impreza 2.0 Turbo, 2.2	1.97-12.-98	AV AR	530 2457 00	530 2457 50	V 277	24
Subaru Impreza 2.0 Turbo, 2.2 avec etriers av 4 pistons	1.97-12.-98	AV	530 2458 00	530 2458 50	V 294	24
Subaru Impreza 2.0 Turbo Gt	9.98--	AV AR	530 2458 00	530 2458 50	V 294	24
Subaru Impreza WRX 2.0 Turbo	3.01	AV AR	530 2458 00	530 2458 50	V 294	24
Subaru Impreza WRX STI 2.0Turbo	01--	AV AR				
TOYOTA						
TOYOTA MR2 Toyota MR2 2.0 16v	12.91--5.00	AV AR				
Toyota MR2 1.8 16V VTI	5.00--	AV AR				
TOYOTA 4X4						
Toyota L70 / 73 RJ70 / 73 Phares carrés	90-95	AV AV AR	590 2558 00		V 302	20
Toyota KZJ 90 / 95	96-	AV AV AR				
Toyota HDJ 80	9.90-12.92	AV AV AR	590 2566 00		V 286	25
Toyota HDJ 80	1.93--	AV AV AR	590 2567 00		V 311	32
Toyota HDJ 100	98-	AV AR	590 2573 00		V313	32
Toyota RAV 4 Fun Cruiser 2.0	9.94-3.01	AV	590 2564 00		V 302	18
VOLKSWAGEN						
VW BEETLE VW Beetle 1.6,1.8, 2.0, 1.9 TDI 90cv et 110cv	1.98--	AV AR	100 1234 00 100 1236 00	100 1234 50 100 1236 50	V 280 P 232	22 9
VW Beetle 1.8T 20V 2.3 V5	1.98--	AV AR	100 1235 00 100 1236 00	100 1235 50 100 1236 50	V 288 P 232	25 9
VW Beetle RSI 3.2V6	9.99--	AV	100 1240 00	100 1240 50	V 312	25

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
		AR	100 1241 00	100 1241 50	V 256	22
VW BORA, BORA BREAK	10.98-					
VW Bora 1.6, 1.9 SDI roues 14"		AV AR	100 1233 00 100 1236 00	100 1233 50 100 1236 50	V 256 P 232	22 9
VW Bora 1.4 16V, 1.8, 1.9 TDI 100cv, 1.9 TDI 115 cv 2.0, 1.9 SDI roue 15"	10.98--	AV AR	100 1234 00 100 1236 00	100 1234 50 100 1236 50	V 280 P 232	22 9
VW Bora 1.9 TDI 150 cv, 2.3 V5	10.98--	AV AR	100 1235 00 100 1236 00	100 1235 50 100 1236 50	V 288 P 232	25 9
VW Bora 2.8V6 4Motion	10.98--	AV AR	100 1240 00 100 1241 00	100 1240 50 100 1241 50	V312 V 256	25 22
VW CORRADO	10.88-96					
VW Corrado 1.8, 1.8 16V, 2.0, 2.0 16V		AV AR	600 1597 00 600 1599 00	600 1597 50 600 1599 50	V 256 P 226	20 10
VW Corrado 1.8 G60	9.88-12.95	AV AR	600 1601 00 600 1599 00	600 1601 50 600 1599 50	V 280 P 226	22 10
VW Corrado 2.8 VR6	6.91-12.95	AV AR	600 1606 00 600 3201 00	600 1606 50 600 3201 50	V 280 P 226	22 10
VW GOLF I (Typ 17)						
VW Golf I 1.6 GTI, 1.8 GTI etrier flottant	8.75-7.83	AV	600 1594 00	600 1594 50	V 239	20
VW Golf I 1.6 GTI, 1.8 GTI etier fixe	8.75-7.83	AV	600 1594 00	600 1594 50	V 239	20
VW GOLF II / JETTA II (Typ 19)	8.83-7.92					
VW Golf II 1.8 CL, GT, C * option disque ventilé se monte à la place du disque plein		AV AV	600 1158 00 600 1594 00	600 1158 50 600 1594 50	P 239 V 239	12 20
VW Golf II 1.8 GTI	8.83-7.92	AV AR	600 1594 00 600 1599 00	600 1594 50 600 1599 50	V 239 P 226	20 10
VW Golf II 1.8 GTI 16V	8.83-10.88	AV AR	600 1594 00 600 1599 00	600 1594 50 600 1599 50	V 239 P 226	20 10
VW Golf II 1.8 GTI 16V	11.88-7.92	AV AR	600 1597 00 600 1599 00	600 1597 50 600 1599 50	V 256 P 226	20 10
VW Golf II 1.8 GTI G60	8.83-7.92	AV AR	600 1601 00 600 1599 00	600 1601 50 600 1599 50	V 280 P 226	22 10
VW Golf II Syncro 1.8 C, CL, GT, 4x4 * option disque ventilé se monte à la place du disque plein	6.86-8.91	AV AV	600 1158 00 600 1594 00*	600 1158 50 600 1594 50*	P 239 V 239	12 20
VW Golf II Syncro 4x4 G60 Rallye	2.86-7.92	AV AR	600 1601 00 600 1050 00	600 1601 50 600 1050 50	V 280 P 239	22 10
VW GOLF CABRIOLET (Typ 155)						
VW Golf Cabrio typ155 1.5 TS, 1.6 GL, 1.8GL * option disque ventilé se monte à la place du disque plein	4.79-8.93	AV AV	600 1158 00 600 1594 00*	600 1158 50 600 1594 50*	P 239 V 239	12 20
VW Golf Cabrio typ155 1.6 GLI, 1.8 GL Quartett	4.79-8.93	AV	600 1594 00	600 1594 50	V 239	20

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
VW GOLF III / VENTO	10.91-9.97					
VW Golf III 1.4 CL, 1.6, 1.6 CL / GL, 1.8, 1.8 CL, 1.8 GL * option disque ventilé se monte à la place du disque plein		AV AV	600 1158 00 600 1594 00*	600 1158 50 600 1594 50*	P 239 V 239	12 20
VW Golf III 2.0 GTI 115cv GTI 16V 150cv, VR6 174cv	11.91-9.96	AV AR	600 1606 00 600 3201 00	600 1606 50 600 3201 50	V 280 P 226	22 10
VW Golf III GTI 16V, 2.8 VR6	10.96-2.97	AV AR	600 3202 00 600 3201 00	600 3202 50 600 3201 50	V 288 P 226	25 10
VW Golf III 2.9 VR6 / Syncro	9.94-9.97	AV AR	600 3202 00 600 3206 00	600 3202 50 600 3206 50	V 288 P 239	25 10
VW Golf III D, TD, GTD * option disque ventilé se monte à la place du disque plein	11.91-9.97	AV AV	600 1158 00 600 1594 00*	600 1158 50 600 1594 50*	P 239 V 239	12 20
VW Golf III 1.9 TDI 90cv * option disque ventilé se monte à la place du disque plein	9.93-9.97	AV AV	600 1602 00 600 1597 00 *	600 1602 50 600 1597 50 *	P 256 V 256	13 20
VW Golf III 1.9 TDI 110cv	5.96-9.97	AV AR	600 1597 00 600 1599 00	600 1597 50 600 1599 50	V 256 P 226	20 10
VW GOLF III CABRIOLET						
VW Golf III Cabrio 1.6, 1.8, 1.9TDI 90cv * option disque ventilé se monte à la place du disque plein	9.93--9.97	AV AV	600 1602 00 600 1597 00 *	600 1602 50 600 1597 50 *	P 256 V 256	13 20
VW Golf III Cabrio 1.9 TDI 110cv, 2.0	9.93--10.97	AV AR	600 1597 00 600 1599 00	600 1597 50 600 1599 50	V 256 P 226	20 10
VW GOLF IV	10.97--11.03					
VW Golf IV 1.6, 1.6FSI, 1.9 SDI, 1.9TDI 90 cv		AV AR	100 1233 00 100 1236 00	100 1233 50 100 1236 50	V 256 P 232	22 9
VW Golf IV 1.8, 1.9 TDI 110 cv	10.97--11.03	AV AR	100 1234 00 100 1236 00	100 1234 50 100 1236 50	V 280 P 232	22 9
VW Golf IV 1.8 Turbo 20V GTI, 2.3 V5 150cv	10.97--11.03	AV AR	100 1235 00 100 1236 00	100 1235 50 100 1236 50	V 288 P 232	25 9
VW Golf IV 1.9TDI 100 cv	1.99--11.03	AV AR	100 1233 00 100 1236 00	100 1233 50 100 1236 50	V 256 P 232	22 9
VW Golf IV 1.9 TDI 115 cv	1.99--11.03	AV AR	100 1234 00 100 1236 00	100 1234 50 100 1236 50	V 280 P 232	22 9
VW Golf IV 1.9TDI 150 cv	1.99--11.03	AV AR	100 1235 00 100 1236 00	100 1235 50 100 1236 50	V 288 P 232	25 9
VW Golf IV 2.3V5 4 Motion 170cv 2.8V6 24V 4Motion 204cv R 32 3.2	1.99--11.03 1.03--	AV AR	100 1240 00 100 1241 00	100 1240 50 100 1241 50	V 312 V 256	25 22
GOLF V						
VW Golf V 1.4 16V, 1.4FSI, 1.6, (PR-1ZF, 1ZM)	10.03--	AV AR AR	600 3233 00 600 3234 00		V 280 P 255	22 10
VW Golf V 1.6 FSI, 1.9TD, 2.0TDI, 2.0SDI, 2.0FSI (PR-1ZE)	10.03--	AV AR	600 3221 00 600 3234 00		V 288 P 255	25 10

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
VW LUPO						
VW Lupo 1.0, 1.4 75 cv, 1.7 SDI	10.98-	AV	600 3205 00	600 3205 50	V 239	18
VW Lupo 1.4 16V 100cv , 1.4TDI, 1.4FSI	10.98--	AV AR	600 1597 00 600 3217 00	600 1597 50	V 256 P 232	20 9
VW Lupo 3L 1.2	5.99--	AV	100 1245 00		P 239	15
VW Lupo 1.6GTI	5.99--	AV AR	600 3217 00		P 232	9
VW PASSAT (3B)	9.96-					
VW Passat 3B 1.6, 1.8, 1.8T, 1.9 TDI 90cv (LUCAS)	8.96-11.00	AV	600 3207 00	600 3207 50	V 280	22
		AR	100 1217 00	100 1217 50	P 245	10
4 motion		AR	100 1232 00	100 1232 50	P 245	10
VW Passat 3B 1.6, 1.8, 1.8T, 1.9 TDI 90cv (ATE)	8.96-11.00	AV	600 3208 00	600 3208 50	V 282	25
		AR	100 1217 00	100 1217 50	P 245	10
4 motion		AR	100 1232 00	100 1232 50	P 245	10
VW Passat 3B 1.8 T20v , 2.3 VR5, 2.8 VR6	9.96--9.99	AV	600 3208 00	600 3208 50	V 282	25
1.9 TDI 110cv, 2.5 TDI jusque châssis 3BX600000		AR	100 1217 00	100 1217 50	P 245	10
4 motion		AR	100 1232 00	100 1232 50	P 245	10
VW Passat 3B 1.8 T20v , 2.3 VR5, 2.8 VR6	10.99--8.00	AV	100 1216 50	100 1216 50	V 288	25
1.9 TDI 110cv, 2.5 TDI à partir châssis 3BY600000		AR	100 1217 00	100 1217 50	P 245	10
4 motion		AR	100 1232 00	100 1232 50	P 245	10
VW PASSAT / PASSAT VARIANT (3B3 / 3B6)	11.00--					
VW Passat 3B3 1.6, 1.8T, 2.0, 1.9TDI avec roues 15"		AV	100 1216 00	100 1216 50	V 288	25
		AR	100 1217 00	100 1217 50	P 245	10
4 motion		AR	100 1232 00	100 1232 50	P 245	10
VW Passat 3B3 1.6, 1.8T, 2.0, 1.9TDI, 2.3V5 roues 16"	11.00--	AV	100 1242 00	100 1242 50	V 312	25
2.5TDI, 2.8 V6 avec roues 16"		AR	100 1217 00	100 1217 50	P 245	10
4 motion		AR	100 1232 00	100 1232 50	P 245	10
VW POLO						
VW Polo G40 1.3	9.82-9.94	AV	600 1594 00	600 1594 50	V 239	20
VW POLO (6N-6KV2)	10.94-7.95					
VW Polo 1.0, 1.3, 1.4, 1.6, 1.9D		AV	600 3204 00		P 239	10
VW Polo 1.0, 1.3, 1.4, 1.6, 1.9D, 1.4 TDI, 1.9 SDI, 1.7SDI	10.95-9.01	AV	600 3205 00	600 3205 50	V 239	18
VW Polo Classic (sans hayon) 1.4 16v, 1.9TDI	12.95-9.01	AV	600 1158 00	600 1158 50	P 239	12
VW Polo Classic (sans hayon) 1.4 avec ABS, 1.9 SDI	12.95-9.01	AV	600 1158 00	600 1158 50	P 239	12
* disque ventilé se monte en lieu et place du plein		AV	600 1594 00*	600 1594 50*	V 239	20
VW Polo Classic (sans hayon) 1.6, 1.9 TDI	12.95-9.01	AV	600 1597 00	600 1597 50	V 256	20
VW Polo Break 1.4	3.97-9.01	AV	600 1050 00	600 1050 50	P 239	10
VW Polo Break 1.9 SDI	3.97-9.01	AV	600 1158 00	600 1158 50	P 239	12
* disque ventilé se monte en lieu et place du plein		AV	600 1594 00*	600 1594 50*	V 239	20

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
VW Polo Break 1.6, 1.6 16V, 1.9 TDI	3.97-9.01	AV	600 1597 00	600 1597 50	V 256	20
POLO (9N) Type 1 LM	10.01--					
VW Polo 9N tous modèles	10.01--	AV AR	600 3218 00 100 1236 00	100 1236 50	V 239 P 232	18 9
VW Polo 9N tous modèles	10.01--	AV AR	100 1247 00 100 1236 00	100 1247 50 100 1236 50	V 288 P 232	25 9
VW Polo 9N tous modèles	10.01--	AV AR	100 1233 00 100 1236 00	100 1233 50 100 1236 50	V 256 P 232	22 9
VW Polo 9N tous modèles	10.01--	AV AR	100 1235 00 100 1236 00	100 1235 50 100 1236 50	V 288 P 232	25 9
VW SCIROCCO	1.86-12.92					
16V, GT16V, GTX 16V		AV AR	600 1597 00 600 1599 00	600 1597 50 600 1599 50	V 256 P 226	20 10
VW SHARAN						
VW Sharan 1.9 TDI, 2.0, 2.8 VR6	3.95-3.00	AV AR	600 3209 00 600 3210 00		V 288 P 268	25 10
2.8 VR6 Syncro avec roues 16"		AR	600 3216 00		P 294	13.5
VW Sharan 1.8T, 1.9 TDI, 2.0	3.00--	AV AR	250 1346 00 600 3210 00		V 300 P 268	26 10
VW Sharan 1.8T, 1.9 TDI, 2.0 4 motion	3.00--	AV AR	250 1347 00 600 3216 00		V 313 P 294	26 13.5
VW TOUAREG						
VW Touareg roue 16"	10.02--	AV AR	600 3223 00 600 3228 00		V 307.5 V 314	29 22
VW Touareg roue 17"		AVG AVD AR	600 3224 00 600 3225 00 600 3229 00		V 330 V 330 V 330	32 32 28
VW Touareg roue 18"		AVG AVD AR	600 3226 00 600 3227 00 600 3229 00		V 350 V 350 V 330	34 34 28
VW TOURAN						
1.6, 1.6FSI, 2.0FSI, 1.9TDI, 2.0TDI	2.03--	AV AR	600 3221 00 600 3222 00		V 288 P 260	25 12
VW TRANSPORTER T5						
VW Transporter T5 roue 16"	4.03--	AV AR	600 3223 00 600 3232 00		V 307,5 V 294	29,5 22
VW Transporter T5 roue 17"	4.03--	AV AR	600 3231 00 600 3232 00		V 333 V 294	32,5 22
VOLVO						
VOLVO S40, V40						
Volvo S40, V40 1.8 16v, 2.0i 16v	7.95--7.97	AV AR	380 2157 00 610 1198 00	610 1198 50	V 256 P 260	24 10

MODELES	ANNEE		ZIMMERMANN	ZIMMERMANN PERCE	Ø	↔
Volvo S40, V40 1.8 16v, 2.0i 16v, 1.9TD, 1.9DI	7.97-12.03	AV AR	610 3700 00 610 1198 00	610 3700 50 610 1198 50	V 281 P 260	24 10
Volvo S40 2.0D, 2.4, T5	1.04--	AV AR				
VOLVO S60						
Volvo S60 2.0T, 2.4, 2.4T, avec roues 15"	7.00--	AV AR	610 3701 00 610 3703 00	610 3701 50 610 3703 50	V 285.5 P 288	26 12
2.4 4WD, T5, 2.4Jtdi avec roues 15"						
Volvo S60 2.0T, 2.4, 2.4T, avec roues 16"	7.00--	AV AR	610 3702 00 610 3703 00	610 3702 50 610 3703 50	V 305 P 288	28 12
2.4 4WD, T5, 2.4Jtdi avec roues 16"						
VOLVO S70, V70, C70						
Volvo S70 ,/ V 70, 2.0, 2.5, 2.5T avec roues 15"	1.97--2.00	AV AR	610 1195 00 610 1197 00	610 1195 50 610 1197 50	V 280 P 295	26 10
S70 ,/ V 70, 2.3 T5, 2.5Tdi avec roues 15"						
Volvo S70 ,/ V 70, 2.0, 2.5, 2.5T avec roues 16"	1.97--2.00	AV AR	610 1199 00 610 1197 00	610 1199 50 610 1197 50	V 302 P 295	26 10
S70 ,/ V 70, 2.3 T5, 2.5Tdi avec roues 16"						
S70 / V70 4WD	1.97--2.00	AR	610 1200 00	610 1200 50	P 283	10
Volvo S70 / V 70, 2.4, 2.4T avec roues 15"	3.00--	AV AR	610 3701 00 610 3703 00	610 3701 50 610 3703 50	V 285.5 P 288	26 12
S70 ,/ V 70, 2.3 T5, 2.5Tdi avec roues 15"						
Volvo S70 / V 70, 2.4, 2.4T avec roues 16"	3.00--	AV AR	610 3702 00 610 3703 00	610 3702 50 610 3703 50	V 305 P 288	28 12
S70 ,/ V 70, 2.3 T5, 2.5Tdi avec roues 16"						
VOLVO S80						
Volvo S80, 2.0, 2.4, 2.4T avec roues 15"	1.00--	AV AR	610 3701 00 610 3703 00	610 3701 50 610 3703 50	V 285.5 P 288	26 12
S80, 2.8 T6, 2.9, 2.5Td avec roues 15"						
Volvo S80, 2.0, 2.4, 2.4T avec roues 16"	1.00--	AV AR	610 3702 00 610 3703 00	610 3702 50 610 3703 50	V 305 P 288	28 12
S80, 2.8 T6, 2.9, 2.5Td avec roues 16"						
VOLVO S90, V90						
Volvo S90 2.9	5.98-- 9.99	AV AR	610 1195 00 610 3704 00	610 1195 50	V 280 P 277	26 12
VOLVO XC70						
Volvo XC70 2.4T, 2.5T, 2.5D5 roue 15"	9.00--	AV AR	610 3701 00 610 3703 00		V 285,5 P 288	26 12
Volvo XC70 2.4T, 2.5T, 2.5D5 roue 16"	9.00--	AV AR	610 3702 00 610 3703 00		v 305 P 288	28 12
VOLVO XC90						
Volvo XC 90 , 2.5T, T6, D5 roue 16"	10.02--	AV AR	610 3706 00 610 3708 00		V 315.6 V 308	28 20
Volvo XC 90 , 2.5T, T6, D5 roue 17"	10.02--	AV AR	610 3707 00 610 3708 00		V 335.7 V 308	30 20